	500000000
	45Mn□
00000	
	5[][]D125mm[]
	M14[]22.23[]5/8" -11
00000	

5_____

Double Row Diamond Cup Wheel

φ100ΜΜ φ115ΜΜ φ125ΜΜ φ180ΜΜ

Used for grinding concrete, stone, cement, floor engineering

















Outer Diameter		Segment Size(mm)	Core	Diamond Grit
Inch	mm	(L*W*H) Core	Cole	Diamond Gill
4	100	30*4.5*8.3 (Outer)	22.23, M14, 5/8"-11 etc.	30#, 50#, 100#
		23.4*4.5*7.1 (Inner)		
		30*5.0*8.0 (Outer)		
		20*5.0*7.0 (Inner)		
4.5	115	30*4.5*8.3 (Outer)		30#, 50#, 100#
		23.4*4.5*7.1 (Inner)		
		30*5.0*8.0 (Outer)		
		20*5.0*7.0 (Inner)		
5	125	30*4.5*8.3 (Outer)		30#, 50#, 100#
		23.4*4.5*7.1 (Inner)		
		40*5.0*8.0 (Outer)		
		30*5.0*8.0 (Inner)		
7	180	37*4.5*7.8 (Outer)		30#, 50#, 100#
		37*4.5*7.0 (Inner)		
		28*5.0*8.0 (Outer)		
		20*5.0*7.0 (Inner)		


















20000360050/600060/8000

100000000	
20000000	
3000000000	
40000000000000	
50000000000000	
60500000000000	
1M14_5/8" -11	
2000000000000000	
3	
400000000000000000000000000000000000000	
505000000000000000000	
boneway° 😽 🛞 📵	boneway° 👸 🚳 📵







- $oldsymbol{1}.$ NANANANANANANANANAN
- 3. OEMODODODO

- 1.000000000
- 2.
- 3._____

Fujian Nanan function of Machinery Co.,Ltd.

27 0000000000006050362342

☎□□□ □+86□595-86990206 / **№**□□□ □+86□595-86990220

□□□/ WhatsApp /□□□ □+ 86□ 13559599186

©□□□□ boreway05@boreway.net