

Grinding Machine



Concrete Grinding Effect

□□□







□□□

□□□□□-□□

□□□-□□

□□□-□□

□□□□□□□□

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500–9000	5000–7000	4000–5000	3000–4000	1500–3500	1000–2000
MPA	C50–C65	C40–C55	C30–C50	C20–C40	C15–C25	C10–C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

**Redi Lock**

Husqvarna Redi Husqvarna

Scanmaskin Redi Scanmaskin



**Husqvarna Redi Lock Blank    Scanmaskin Blank**

1

1. Husqvarna Redi Lock Blank

2. Scanmaskin Blank

3. Husqvarna Redi Lock Blank

4. Scanmaskin Blank

5. Husqvarna Redi Lock Blank

3. Husqvarna Redi Lock Blank



1. Husqvarna Redi Lock Blank

2. Scanmaskin Blank

3. Husqvarna Redi Lock Blank



一、公司简介  
二、主要业务  
三、联系我们

福建南平博威机械有限公司  
地址：福建省南平市延平区水南镇工业园区  
邮编：362000  
电话：+86 595 86990206  
手机：+86 135 5959 9186  
邮箱：boreway09@boreway.net

### 3. 联系我们

地址：福建省南平市延平区水南镇工业园区  
邮编：362000  
电话：+86 595 86990206  
手机：+86 135 5959 9186  
邮箱：boreway09@boreway.net

联系我们


1. 公司名称
2. 公司地址
3. 主营产品
4. 联系方式

联系我们

## Fujian Nanan **boreway**® Machinery Co.,Ltd.

 福建省南平市延平区水南镇工业园区6050362342

 +86 595-86990206 /  +86 595-86990220

 / **WhatsApp** / + 86 13559599186

 [boreway09@boreway.net](mailto:boreway09@boreway.net)

 福建