



Redi Lock

Redi Lock

Redi Lock


Redi Lock

000	Redi Lock
00000	16-270 etc
000	0000
00000	40 * 10 * 10 * 1T
000	00000000
000	00000000
000	00 Redi Lock 00
000	00000000
000	00000000 00000000 00000000

□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□


□□□□□

Redi Lock□□□□□□□□□□



40*10*10mm*1T
Single Diamond Segment

Double Pins Blank



Before Grinding and Polishing

After Grinding and Polishing

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500–9000	5000–7000	4000–5000	3000–4000	1500–3500	1000–2000
MPA	C50–C65	C40–C55	C30–C50	C20–C40	C15–C25	C10–C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR	Blue	Purple	Black	Red	Yellow	Orange

Redi Lock is available in a range of colours to match your concrete.



Two Round Pins Redi Lock Blank



Two Square Pins Redi Lock Blank

Redi Lock

1. Redi Lock

2. Redi Lock



1. Redi Lock

2. Redi Lock

3. Redi Lock

4. Redi Lock



Redi Lock



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net





□□□□□□

1. □□□□□□□□□□□□□□□□□□□□
2. □ □□□□□□□□□□□□□□□□□□□
3. OEM □□□□□□□□□□□□□□□□□□□□
4. □□□□□□□□□□□□□□□□□□□□□□□□□□
5. □ □□□□□□□□□□□□□□□□□□□□□□□□□

□□□

1. □□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□□□
 □□□□□□8□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

3. □□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□

□□□□□

1. □□□□□□□□□□

2. □□□□□□□□□□

3. □□□□□□□□□□

□□□□□

Fujian Nanan *boreway* Machinery Co.,Ltd.



□□□□□□□□□□□□605□362342



□□□ □+86□595-86990206 / □□□ □+86□595-86990220



□□/ **WhatsApp** /□□□ □+ 86□ 13559599186



□□□□□ □□□□□ boreway05@boreway.net



□□□□