






□□

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

1. □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
2. □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
3. □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□



3□□□□□□□□




3□□□□□□□□



2□□□□□□□□

□□□□□



□□□□□□

- 1. □□□□□□□□□□□□□□□□
- 2. □□□□□□□□□□□□□□□□
- 3. OEM□□□□□□□□□□□□□□□□
- 4. □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
- 5. □□□□□□□□□□□□□□□□□□□□□□□□

□□□

- 1. □□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□8□□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□□□

### 3. □□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□



□□□□□


- 1. □□□□□□□□□□
- 2. □□□□□□□□□□
- 3. □□□□□□□□□□□□□□□□□□□□

□□□□□

## Fujian Nanan *boreway* Machinery Co.,Ltd.

 □□□□□□□□□□□□□□□□□□□□ 605□362342

 **TEL** □ +86□595-86990206 /  □□□ □86□595-86990220

 □□/ **WhatsApp** /□□□ □+ 86□ 13559599186

 □□□□□ [boreway05@boreway.net](mailto:boreway05@boreway.net)

 □□□