







Grinding Machine



Concrete Grinding Effect

□□□:






□□□:

□□□□ □□□-□□□

□□□□ □□□□□-□□□□□

□□□□ □□□□-□□□□

□□□□: □□□□□□□□□□ □□□□□□

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500–9000	5000–7000	4000–5000	3000–4000	1500–3500	1000–2000
MPA	C50–C65	C40–C55	C30–C50	C20–C40	C15–C25	C10–C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

**Redi Lock Blank**

Scanmaskin Redi Lock Blank, Scanmaskin



**Husqvarna Redi Lock Blank    Scanmaskin Blank**

**Redi Lock Blank:**

1. Redi Lock Blank er et konkretreparationsmateriale, som bruges til at reparere og genopbygge betonoverflader.

2. Redi Lock Blank er et konkretreparationsmateriale, som bruges til at reparere og genopbygge betonoverflader.

Redi Lock Blank er et konkretreparationsmateriale, som bruges til at reparere og genopbygge betonoverflader. Redi Lock Blank er et konkretreparationsmateriale, som bruges til at reparere og genopbygge betonoverflader.

Redi Lock Blank er et konkretreparationsmateriale, som bruges til at reparere og genopbygge betonoverflader. Redi Lock Blank er et konkretreparationsmateriale, som bruges til at reparere og genopbygge betonoverflader.

3. Redi Lock Blank er et konkretreparationsmateriale, som bruges til at reparere og genopbygge betonoverflader. Redi Lock Blank er et konkretreparationsmateriale, som bruges til at reparere og genopbygge betonoverflader.

**Redi Lock Blank:**







福建南平 博威 机械有限公司

博威 机械有限公司:

## Fujian Nanan *boreway*® Machinery Co.,Ltd.

 No.605 Huahui 路, Shuitou 镇 362342 Quanzhou, 福建省, 中国



电话: (+86) 595-86990206 /  微信: (+86) 595-86990220



手机 / **WhatsApp** / 号码: (+ +) 13559599186



邮箱: [boreway09@boreway.net](mailto:boreway09@boreway.net)



联系人 姓名