



72	1800	24	9.8 / 9.0	20
----	------	----	-----------	----

1800 24 9.8 / 9.0 20  
 1800 24 9.8 / 9.0 20  
 1800 24 9.8 / 9.0 20

**1800 24 9.8 / 9.0 20:**

1800 24 9.8 / 9.0 20



**M Shape Multi-Layer Structure,  
Good debris removal and better cooling**

**1800 24 9.8 / 9.0 20:**

1800 24 9.8 / 9.0 20  
 1800 24 9.8 / 9.0 20


## Applicable materials

To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.






Fast Cutting  
Long Life  
Stable Performance





□□□□ □□□□□□:



□□□:

1. □□ □□ □□ □□□□ □□ □□□□□□□□ □□ □□□□ □□ □□ □□□□ □□□□ □□, □□ □□□, □□ □□ □□□□ □□□□ □□□
2. □□□□ □□□□□ □□□□□□: □□□□□ □□□□□□, □□□□ □□□ □□ □□□□ □□ □□ □□□□□□
3. □□□□□ □□□□□□, □□□□□□□□ □□□□□ □□ □□□, □□□□□□ □□ □□□□□□□□ □□□ □□□□
4. □□□□ □□ □□□□□□□□ □□ □□□ □□-□□□□□ □□□ □□□□ □□□□ □□□□

□□□□□□□ □□□□□□□:



□□□□ □□□ □□□:

□□ □□ □□□□□□ □□□□□□ □□□□□□ **control**



□□□□□ □□ □□□□□:





**00000 00000:**

1. 00 0000 000000: 00 00 00 00000 0000000 00 0000 00 0000 00 0000 0000
2. 0000 00 00000: 00 000 00000 00 0000 000 00000000 000
3. OEM 0000000000: 00 0000 00000 00 000000 00 0000000 00000000 00 0000 0000
4. 000000 000000000: 00 00 0000 000000000 000000000 00000000 000 000000 000 000000 0000000000 000
5. 000000 0000: 00 0000 000000000 00 00 0000 0000 00 000000000000000 00 0000000 00 0000 000000 00 0000 000 000000 0000

**00000000 0000000:**

1. 0000 00 00000 0000 00000000 000000 0000, 00 00 000000000 00 0000 0000 0000 0000?  
 000000 00000 000000 0000000 0000 0000 00 000000000 0000000, 0000000000 00 000000 00000 00 000000000  
 0000, 00 000000 000000000000 000000 00 0000 000000 000000 00000 00000000 00 0000, 0000 00000 000000  
 0000 0000000000 00000 00 00 00000 000000 00000 00 00000000000 00000 0000

