





Length: 40mm




Slant Slot Shape




Diamond Segment



Speed Up The Cooling Temperature







○○○○○○○○ ○○○○○○

**1. 000000 00 00000000 00 000000 0000 000?**

00000 00 00000000 000 0000, 00000000 00 0000000 00, 000000 00 000000000 00 00000000000 0000 00 000 00000000 0000000, 000000 0000000000 00 000 0000000 00 0000000000 00 000 00000000000, 0000000 00 0000000 0000 0000000000 00 000 0000, 00 0000000 00 0000000 0000 0000000000 00 000 0000, Boreway 000000 0000000000 00 0000 0000000000 0000 0000 00 000000 0000000 0000 00 000 0000 0000

**2. 0000 00 0000000 000?**

00000 000 00000 00 0000000 0000 00 000000 00 00000000 0000000 0000000 0000 00 00000000 0000000 000 00 0000 000000-0000000 0000 00 0000 000 0000 00 0000 0000000 0000 00 0000 000000 (00000) 00 0000000000 (000000 000000000000) 00 000 000000 000000 000000 0000 0000 0000000 00 0000 00000 0000 000000

**3. 000000 000000 00000 000?**

000000 0000 0000000 00 00 000000000 00 000 00000 00 000000 00 000000 0000000 0000 00 00000000 0000 0000 0000000000 000000 00 00000 00 24 000000 00 00000 00000 00000 0000000 000000 0000 000000 0000, Boreway 00000000 0000000 00 OEM / ODM 00 00 000000 00000000000000 000 00000 0000 OEM / ODM 00000000 0000000000 0000!



☐☐☐☐☐☐ ☐☐☐☐☐☐:

## Fujian Nanan *boreway*® Machinery Co.,Ltd.



NO.605 Huahui ☐☐☐☐☐☐, Shuitou ☐☐☐☐ 362342 Quanzhou, Fujian, China



☐☐☐☐☐☐: (+86) 595-86990206 /  ☐☐☐☐☐☐:(+86) 595-86990220



☐☐☐☐☐☐ / **WhatsApp** / ☐☐☐☐☐☐:(+ 86) 18650679939



☐☐☐☐☐☐: **boreway@boreway.com**



**Lyon Chang**