

Product Description

1. Scarify different kinds of floor surface and make antique surface.
2. For floor preparation before laying new coatings.
3. Texturing surfaces to speed up initial cut on exposed concrete polished floors. Double layers bush hammer plate exposes the aggregate in concrete floors to prepare for concrete grinding and polishing.
4. **125mm welded bush hammer plate** removes old, thick or heavy epoxy resin (glue, varnish and resin) coatings, especially thick resin materials.

Feature:

1. High working efficiency with minimum investment, 5-6 times more efficient than manual chisel hammer.
2. It can be customized according to the desired effect. The grit of bush hammer can be adjusted.
3. 30 grains bush hammer plate choose durable materials for production, the products have high quality and long service life.

Product Specification:

The specification of **125mm welded bush hammer plate**:

| Tips Quantity | Connection Hole | Roller Number | With/Without |
|---------------|-----------------|---------------|--------------|
| 30 Tips | M14 | 3 Rollers | With Spring |

Specification of bush hammer plate:

| Model | Out Diameter | | Roller Quantity | Segment Quantity | Connection | Remark |
|-------|--------------|----|-----------------|------------------|------------|--------|
| | Inch | mm | | | | |


| | | | | | | |
|------------|----|-----|----|----|-----------------|------------------------------|
| BW-BH12514 | | | 3 | 14 | | |
| BW-BH12514 | 5 | 125 | 4 | 14 | | |
| BW-BH12520 | | | 3 | 20 | | |
| BW-BH12520 | | | 4 | 20 | | |
| BW-BH12530 | 5 | 125 | 3 | 30 | | |
| BW-BH15014 | 6 | 150 | 4 | 14 | | |
| BW-BH12520 | 6 | 150 | 4 | 20 | | |
| BW-BH15045 | 6 | 150 | 3 | 45 | M10 | Single Layer Double Layer |
| BW-BH15030 | | | 4 | 30 | M12 | |
| BW-BH20045 | 8 | 200 | 4 | 45 | M16 | |
| BW-BH20030 | | | 6 | 30 | 5/8"-11 | |
| BW-BH25045 | 10 | 250 | 5 | 45 | 40H-50H | |
| BW-BH25030 | | | 6 | 30 | Φ74-3*m8 | |
| BW-BH30045 | 12 | 300 | 6 | 45 | Fast Connection | |
| BW-BH30030 | | | 9 | 30 | | |
| BW-BH35045 | 14 | 350 | 9 | 45 | | |
| BW-BH35030 | | | 12 | 30 | | |

Other specifications are available upon your requests.

Product show


125mm Welded Bush Hammer Plate

boreway®



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

boreway®



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net


Application:



Granite



Marble



Quartz Stone



Asphalt



Concrete



Sandstone





FAQ

1. What can Bush Hammers do?

Surface Prep for coatings.
Quickly expose large aggregate.
Remove hard coatings and overlays.

2. Will the teeth of the bush hammer roller fall off?

Of course not, We use high-strength flux to weld the carbide tip to the grinding wheel. The grinding wheel is sturdy and durable, with a long life, and the tip is not easy to fall off.

3.Do you provide many kinds of Bush hammer tool?

We provide 30s, 45s, 60s and other various bush hammer wheels, as well as multi-brand floor lychee surface grinding blocks and grinding discs.



Contact Us:

Fujian Nanan **boreway**® Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail:** boreway@boreway.com

 **Lyon Chang**