

Introduction:

4 Inch Copper Diamond Polishing Pads Abrasive Sanding Tool for Granite Marble Engineered Stone. The aggressive copper bond is notably more resistant to the abrasion of cement. They are still very flexible for bullnose, radius, and bowl use. Application for wet polishing granite, marble, glass and other special-sharp stone of corner.

Advantage:

1. Competitive price and superior quality
2. Different granularities and sizes as requested
3. Never mark the stone and burns the surface of the stone

Specification:

Specification of 4 Inch Copper Diamond Polishing Pads Abrasive Sanding Tool for Granite Marble Engineered Stone


diameter (inch/mm)	thickness(mm)	grit
3" /80mm	3.0mm	30#, 50#, 100#, 200#, 400#
4" /100mm		
5" /125mm		

Other thickness and diameter can be customized according to need.

Image:

4 Inch Copper Diamond Polishing Pads Abrasive Sanding Tool for Granite Marble Engineered Stone

boreway®




Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.

Address: Shuitou Town,Quanzhou, Fujian, China

Post Code: 362342

TEL: (+86)595-86990206

FAX: (+86)595-86990220

WhatsApp:+86-18650679939

Email:borewa02@boreway.net