

Product Description

5 inch hexagons bush hammer plate is used to grind the surface of granite, marble, concrete and other materials to a rough surface.

5 inch hexagons bush hammer plate can be sized according to their machine adjustments and adapters, and other specifications can be customized upon request.

These carbide tips are repeatedly struck on the stone or concrete surface to create a rough and pockmarked texture.

Feature:

1. Excellent performance and durability.
2. Competitive price and value for money.
3. Strict quality control to provide high quality products.
4. High grinding efficiency, coarse and fine flowers can be adjusted.

Product Specification:

The following is the specification of **5 inch hexagons bush hammer plate**:

Size	Tips Number	Material	Connector
5 Inch	30 Tips	Carbide Alloy	M14

Other specification of bush hammer plate:

Model	Out Diameter		Roller Quantity	Segment Quantity	Connection	Remark
	Inch	mm				
BW-BH12514	5	125	3	14	M10 M12 M16 5/8"-11 40H-50H Φ74-3*m8 Fast Connection	Single Layer Double Layer
BW-BH12514			4	14		
BW-BH12520			3	20		
BW-BH12520			4	20		
BW-BH12530	5	125	3	30		
BW-BH15014	6	150	4	14		
BW-BH12520	6	150	4	20		
BW-BH15045	6	150	3	45		
BW-BH15030			4	30		
BW-BH20045	8	200	4	45		
BW-BH20030			6	30		
BW-BH25045	10	250	5	45		
BW-BH25030			6	30		
BW-BH30045	12	300	6	45		
BW-BH30030			9	30		
BW-BH35045	14	350	9	45		
BW-BH35030			12	30		

Other specifications are available upon your requests.

Product show

5 inch hexagons bush hammer plate



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

boreway®




Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

boreway®



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

Application:



Marble



Granite



Concrete



Sandstone

boreway[®]



FAQ

1. What can Bush Hammers do?

- ☐ Make a safe non-slip surface on natural stones.
- ☐ Remove old glue and resin coatings, especially thick resins.
- ☐ Eliminate any surface and create an antique surface.
- ☐ Prepare the floor before laying a new coating.
- ☐ Expose the aggregate to the concrete floor to prepare for concrete polishing.

2. Will the teeth of the bush hammer roller fall off?

Of course not, We use high-strength flux to weld the carbide tip to the grinding wheel. The grinding wheel is sturdy and durable, with a long life, and the tip is not easy to fall off.

3. Do you provide many kinds of Bush hammer tool?

We provide 30s, 45s, 60s and other various bush hammer wheels, as well as multi-brand floor lychee surface grinding blocks and grinding discs.



Contact Us:

Fujian Nanan **boreway** Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail: boreway@boreway.com**

 **Lyon Chang**