

Introduction:

5inch 125MM Diamond Dry Polishing Pad is suitable for stone polishing, line chamfer, the arc plate and special-shaped stone processing. It can also be used for processing, repairing and renovating marble, concrete, cement floor, terrazzo, glass ceramics, artificial stone, tiles, glazed tiles, vitrified tiles.

Feature:

1. Maximum speed 4500 RPM
2. Long-lifespan, efficiency used
3. Strong grinding force, good durability
4. Excellent clarity, gloss, soft degree

Specification:


Specification of 5inch 125MM Diamond Dry Polishing Pad for Angle Grinder Polishing Stone Granite Marble:

Material	Diameter	Grit	Quality class	Applicable	Holder
Diamond and Resin	125mm	50# 100# 200# 400# 800# 1500# 3000#	Premium Standard Economical	Natural stone Artificial stone Concretes Ceramics	Velcro


Other thickness and diameter can be customized according to need.

Picture:


5inch 125MM Diamond Dry Polishing Pad for Angle Grinder Polishing Stone Granite Marble



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

If you are interesting in our products, please contact us.

Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.

Address: Shuitou Town,Quanzhou, Fujian, China

Post Code: 362342

TEL: (+86)595-86990206

FAX: (+86)595-86990220

WhatsApp: +86-18650679939

Email: boreway01@boreway.net