

Introduction:

5 inch diamond cup grinding wheel with double row segment is ideal for beveling smoothing and shaping with excellent performance. There are sintered and silver welded for 5 inch diamond cup grinding wheel. Available connectors are M14, 5/8"-11 or arbor 22.23mm. 5 inch diamond cup grinding wheels have single row, double row segment and turbo segment. It is suitable for angle grinder and floor refurbishing machine.

Feature:

1. Double row segment;
2. Used on angle grinder;
3. Ideal for beveling smoothing and shaping;
4. For grinding and polishing granite, marble, concrete, masonry and all type of natural stone.

Specification:

The following are the specification 5 inch diamond cup grinding wheel with double row segment:

Name	Diameter	Bore	Segment Thickness	Segment Number	Usage	Machine
5inch diamond cup grinding wheel with double row segment	5inch	M14, 5/8"-11 or 22.23mm	8mm	20	For grinding and polishing granite, marble, concrete	Angle grinders and floor grinding machines

The above specification just a reference for clients. Other specifications can be ordered by customers.

Picture:

5inch diamond cup grinding wheel with double row segment for concrete natural stone

boreway[®]



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway[®]



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

If you are want more products,please click here [Grinding cup wheels.](#)

Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.

Address: Shuitou Town,Quanzhou, Fujian, China

Post Code: 362342

TEL: (+86)595-86990206

FAX: (+86)595-86990220

WhatsApp: +86-18359335376

Email: boreway01@boreway.net