

## Introduction:

3inch Diamond Griinding Block For Concrete Granite Hard Material Polishing designed to remove coatings on concrete floor to prepare the floor for polishing. professional design helps remove coatings more evenly and effectively. Excellent toughness and impact resistance. The segment is hot-pressed and professionally welded on the plate to make sure the density of segment is resonable and help to extend the life time of the disc.

## Feature:

Hook & loop self adhesive backed

Used with floor grinding/polishing machines

Aggressive, Excellent performance in the complex and changing processing environment.

## Specification:

3inch Diamond Griinding Block For Concrete Granite Hard Material Polishing

Diameter	Grit	Holder	Workable Thickness
3"(80mm)	#30 #50 #70 #100 #200 #400	Velcro Back	8mm
4"(100mm)	#30 #50 #70 #100 #200 #400	Velcro Back	mm

## Picture:

5pcs/Lot 3inch Diamond Griinding Block For Concrete Granite Hard Material Polishing

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)



**boreway**®



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)



Segment Length: 7mm/ 0.27"



High: 15mm/ 0.59"

Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Contact us:**

Fujian Nanan Boreway Machinery Co.,Ltd.  
Address: Shuitou Town,Quanzhou, Fujian, China  
Post Code: 362342  
TEL: (+86)595-86990206  
FAX: (+86)595-86990220  
WhatsApp: +86-15659082992  
Email: boreway02@boreway.net