

Introduction

High precision brazing frame for diamond circular saw & core drill is a newly developed machinery for the industry. It's easy to operate, precise, stable & high cost to performance ratio, comparing to imported machine. The machine improves the brazing precision & torque strength of diamond circular discs and reduces sharpening & labor cost significantly. In the type B machine, cutter head can be automatically located, heated, cooled off and reset.

Features:

We adopt easy design of halving to fix the position, which enable the worker to use the rack with basic training.

Specification:

Brazing diameter: (for circular saw) 280-800mm

Brazing capacity: 8-12 discs per hour (for diameter 350mm).

Positioning accuracy: Surface of segment tolerance: $\pm 0.05\text{mm}$ Blade symmetry tolerance: $\pm 0.05\text{mm}$

MODEL	DIMENSION	WEIGHT	BRAZING DIAMETER
GHA250/800C	86×80×160	150kg	250~800mm
GHA250/1600C	100×86×180	230kg	250~1600mm
GHA250/2000C	110×90×205	280kg	250~2000mm
GHA250/2500C	110×90×2250	320kg	250~2500mm

Picture:

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

[Recommendation supporting the use our high frequency heating welding machine:](#)

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com