

## Product Description

### **Bottom Reinforcement Zero Tolerance Grinding Wheel Manufacturer**

Bottom Reinforcement Zero Tolerance Grinding Wheel is the most effective tool to grind the tight radius on granite or other stone, it can be a twisted metal drum wheel in 1" 25mm, 2" 50mm, 3" 75mm, 4" 100mm or larger (special size).

The Zero Tolerance Drum Wheel is a great choice if you are looking for a clean and perfect balanced stock removal around the counter tops.

The round shape of diamond segments will allow consistent wearing.

Bottom Reinforcement Zero Tolerance Grinding Wheel for Grinding Basin are mainly used for hole grinding, anchor and blind hole. which is the most effective way to grind and polish the tight radius.

It is a premium quality that can perform aggressively and but with no vibration when grinding.

Bottom Reinforcement Zero Tolerance Grinding Wheel is the most effective way to grind and polish the tight radius.

## Feature:

1. Smoother milling without stone edge damage. **Wholesaler Diamond Grinding Wheel For Stone**
2. High Efficiency, Long Lifespan And Fast Milling Speed.
3. The most popular tool for truing vanity sink cut-outs.
4. Perfect balance with zero vibration and stable performance.
5. The sharpness of the blade is strengthened at the bottom, and the grinding is faster.

## Product Specification:

The followings are the normal specifications of our Bottom Reinforcement Zero Tolerance Grinding Wheel:

Diameter	Segment	Length Bore
50mm(2 Inch)	35mm	M14 OR 5/8"-11

Other specifications of zero tolerance wheels

Model	Diameter	Segment Length	Bore
BW-ZTW-M01(S)	25mm (1 Inch)	35mm 40mm 45mm	M14 M16 5/8"-11 1/2"G
	50mm (2 Inch)		
	75mm (3 Inch)		
	100mm (4 Inch)		

The above specifications are for reference, other specifications can be ordered by customers.

For more types of zero tolerance wheels, please click here: [Zero Tolerance Grinding Wheel Supplier](#)

### Product Show




#### Bottom Segment

Smoother Milling Without  
Stone Edge Damage

#### Fast Milling Speed

Water Outlet & Waste  
Removal & Heat  
Dissipation & Cooling





### Application:

Bottom Reinforcement Zero Tolerance Grinding Wheel designed for stock removal on granite marble by grinding away excess stone.



For Removing The Edge Of Counter Top, Basin, Sink Etc

Bottom Reinforcement Zero Tolerance Grinding Wheel are for grinding and polishing sink holes on the slab, kitchens etc.,  
Great for both aggressive stock removal (non-resin filled) or fine edge truing (resin-filled) with sink cut-outs in vanities and counter tops.





**Granite**

**Marble**

## **And Other Hard Stone**

**Kindly Noted, when place order please inform the following:**

1. Whether with bottom Segment (yes/no)
2. Interface of zero tolerance wheel (M14, M16, 5/8"-11, 1/2"G)
3. Segment Length of zero tolerance wheel (35mm, 40mm, 45mm)
4. The diameter of the zero tolerance wheel (25mm, 50mm, 75mm, 100mm)
5. Who is it used for? (Grinding Granite, Marble, Sandstone And Other Stone)
6. What scenario is it used for?( For Removing The Edge Of Counter Top, Basin, Sink Etc)
7. Type of zero tolerance wheel (Segment Forest Tolerance Wheel//Resin Filled Wheel/Continuous Zero Tolerance Wheel/Integral Zero Tolerance Wheel/Bottom Section Zero Tolerance Wheel With Cutter Head/Resin Polishing Drum/Plating Drum Wheel/Brazing Drum Wheel)

**Factory Show**



## FAQ

### **1.How could we know the quality, if we want to order your products?**

Please just test them with a very small order, then you will know the quality. At present,so many people in the world to use Chinese products, because of the high quality and most competitive prices. We are professional manufacturer in supplying diamond tools for more than 8 years. Anyway, confirming our products quality, a small trial order for testing will be necessary.

### **2.Can you offer free samples?**

We don't offer free samples, according to our many years experience, we think people get the samples by paying, they will cherish and appreciate more what they get. But we are willing to give our potential customers a special discount which they are used to do a testing.

It is very important to give us feedback, we appreciate it.

### 3.Does your company accept custom-made?

Surely, we accept it. Including different color, grit etc. We also can mark your own logo and brand on the pad. Any new products you want us to produce for you, just send us your drawing or sample, we will produce the same one. We will not sell this kind of products to other customers only if we get your permission.

### Logistics:

Sample order ship by DHL, UPS, FedEx, TNT, EMS etc

For mass order delivery, can be optional with terms of Exwork, FOB, CNF, CIF by air or by sea based on the buyer's forwarder or ours



### Contact Us:

Fujian Nanan **boreway**® Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)

 **Lyon Chang**