

## Product Description

**Bush hammer roller with frankfurt blank** can be installed with 45 teeth, 60 teeth, 72 teeth and 99 teeth litchi surface grinding wheels, or the number of teeth and layout of grinding wheels can be customized according to requirements.

The product introduced this time is 60 teeth Frankfurt grinding block. There are 60 high-quality cemented carbide cutter heads on a grinding wheel. The size of the grinding wheel is  $\phi$  44.5mm \* L54mm, used on automatic grinding bush hammer plate.

60 teeth rotary bush hammer roller can be widely used in the surface treatment of stone and concrete to polish the rough Bush hammer effect. It is a popular surface treatment tool. Time saving and high efficiency.

## Feature:

1. Frankfurt bush hammer, reduce installation time.
2. Bush hammer for concrete, extension of service life.
3. Creates slip-resistant finish on granite and marble.
4. Horseshoe type bush Hammer roller from china, the frankfurt base is very convenient to replace. It is used in automatic bush hammer machine and Frankfurt bush hammer machine.



## Product Specification:

The followings are the normal specifications of our **bush hammer roller with frankfurt blank**:

Roller Size	Segment No.	Effect	Material
$\phi$ 44.5mm*L54mm	60 Teeth	Rough Litchi Surface	Granite, Sandstone, Marble, Concrete

The above specifications are for reference, other specifications can be ordered by customers.

## Product show



### Application:

60 teeth bush hammer roller use for automatic grinding bush hammer plate.




Frankfurt Bush Hammer Machine



Automatic Bush Hammer Machine

Frankfurt bush hammer roller are used for texturing the surface of stones like granite, marble, limestone, and others.



Marble



Granite




Concrete



Sandstone

**Kindly Noted, When Place Order Please Inform The Following:**

1. Stone Effect [ Sandblasted Surface/Litchi Surface ]
2. Use Object (Marble, Granite Or Other Stone, Concrete And Other Stone)
3. Segment No.(30s, 45s, 60s, 72, 99s, Star, Steel Dense Tooth, Vacuum Brazing)
4. Diameter of the Bush hammer plate(125mm, 150mm, 200mm, 250mm, 300mm, 350mm, etc.)
5. Base Style(U Shape, Frankfurt, Fickert, Lavina, Husqvarna, HTC, Klindex, Werkmaster, Diamatic, Etc.)
6. Machines (Hand Held Grinders, Automatic Bush Hammering Machine, Automatic Grinding Machine, Angle Grinder, And Floor Grinders)



Litchi Surface

Base Style(U

Shape, Frankfurt, Fickert, Lavina, Husqvarna, HTC, Klindex, Werkmaster, Diamatic, Etc.)



## FAQ

### 1. Are you a trading company or a diamond tool manufacturer?

We are a diamond tool manufacturer, Nanan Boreway Co., Ltd. is a professional and experienced diamond tool manufacturer in China.

We have a relative product price advantage, maintain controllable product quality, high quality and stability of diamond raw materials.

### 2. Are you professional?

All of our company's products are diamond tools or related machinery products. They are highly professional and have maintained their pre-industry level. We are more professional and can help you find the ideal ideal for your market (dealer) or project (end user). Diamond tools.

### 3. Will the company reduce cost and quality for price?

To reduce other unnecessary costs.

To find good agents for lower shipping fees.

To find the right suppliers of product materials.

It will never reduce the quality of the product. We can optimize the product process and take some measures to protect the quality of the product.

#### Logistics:

Sample order ship by DHL, UPS, FedEx, TNT, EMS etc

For mass order delivery, can be optional with terms of Exwork, FOB, CNF, CIF by air or by sea based on the buyer's forwarder or ours



#### Contact Us:

Fujian Nanan **boreway**® Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /



**Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 18650679939



**E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)



**Lyon Chang**