

**Introduction:**

Multi-function floor grinding machine 12T-580A is be used for floor griniding,coarse concrete floor burnishing,old epoxy floor renovation,sealed curing floor polishing,marble ground maintenamce.

**Feature:**

- 1.It makes low noisy to use precise helical tooth synchronizing wheel,and the machine run smoothly;
- 2.With ultra low center of gravity,the machine is more stable,and work storngly;
- 3.With wonderful side working function;
- 4.With Siemens Motor,the machine's dynamic is durable for a long time;
- 5.It is easy to change the standard grinding head or abrasive disc.

**Specification:**

The normal specification of coarse concrete floor burnishing machine 12T-580A:

Model	Power output	Voltage	Working width	Disc rotate speed	Disc quantity	Water Tank volume	Weight
Unit	Kw	V	MM	RPM	T	L	Kg
12T-580A-1	7.5	380	580	0~1400	12	68	245
12T-580A-2	7.5	380	580	0~1800	12	68	255
12T-580A-3	7.5	Single -phase 220	580	0~1800	12	68	255

The above are normal specification for reference.Other specification can be ordered by customers.

**Picture:**



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Similar product:**

[Multi-funciton floor grinding machine 6T-540,floor grinding machine](#)

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)