Factory Price Litchi Surface 45S Alloy Abrasive Tool Bush Hammer Roller for Grinding Concrete Stone Suppliers

Descriptions:





Factory Price Litchi Surface Alloy Abrasive Tool

Factory Price Litchi Surface Alloy Abrasive Tool is a tungsten tool used to remove coatings, epoxy or texture concrete. The 45 pins leave an excellent profile for the bonding of coatings and overlays.

Factory Price Litchi Surface Alloy Abrasive Tool is suitable for floor surface, making bush hammered effects for stone products.

Advantage:

1.Uniform, real and natural processing surface.

2.For grinite has high grinding efficiency and long lifespan.

3. Much lower production costs compared with traditional processing method.

Features:

Factory Price Litchi Surface Alloy Abrasive Tool

- 1. Price are competitive
- 2. Best value for your money

- 3. Superior performance and durability
- 4. Strict dynamic balance inspection
- 5. Excellent good quality and long working life
- 6. The grit of bush-hammered face can be adjusted
- 7. Works with high efficiency, 5-6 times faster than that of manual processing

Specifications:

The normal size of Factory Price Litchi Surface Alloy Abrasive Tool:

Grains No.	Thickness:	With/Without	Material
45S	45MM	Without Support	Alloy And Steel

Specially designed tools are available for any standard apllication. We can customize tools as per your exact needs.

outer diameter no. of roller 5"(125mm) 3(30s) 6"(150mm) 3(30s),4(30s),3(45s) 8"(200mm) 4(45s),6(30s) 10"(250mm) 5(45s) 12"(300mm) 6(45s) 14"(350mm) 8(45s) 16"(400mm) 9(45s) 18"(450mm) 12(45s)

Product Details:

Factory Price Litchi Surface Alloy Abrasive Tool for stone the roughness of the bush hammered surface can be adjusted with our bush hammer through adjustment of spring elasticity on the bush hamme














Application:

Factory Price Litchi Surface Alloy Abrasive Tool to process bush hammered litchi surface on concrete granite, marble and other stone surface.



Applications Machine:

Factory Price Litchi Surface Alloy Abrasive Tool can be adjusted with our bush hammer through adjustment of spring elasticity on the bush hammer, or through the pressure of the manual grinding machine.







Related Products:





45 Pins Double Layers Alloy Bush Hammer Wheel

D125x3Tx30SxM14 bush hammered

About Us:



Packing [] Delivery:

PS:

- 1.Tools packing in carton cases
- 2.By Air/Sea for batch goods, Airport/Port receiving
- 3.Less than 45kg, generally delivery by express(Door to Door[]
- 4. When tools are in large quantities, they are packing in wooden cases



Our Service:

1.Low MOQ: It can meet your trial order need well.

2.OEM Accepted: We can produce according to your sample or drawings.

3.Good Service: We treat our clients as God with high professionalism and passion.

4.Good Quality: We have strict quality control system. Good reputation in the market.

5.Fast Delivery: We have big discount from forwarder.

FAQ:

1. How could we know the quality, if we want to order your products?

Please just test them with a very small order, then you will know the quality. At present, so many people in the world to use Chinese products, because of the high quality and most competitive prices. We are professional manufacturer in supplying diamond tools for more than 8 years. Anyway, confirming our products quality, a small trial order for testing will be necessary.

2.Can you offer free samples?

We don't offer free samples, according to our many years experience, we think people get the samples by paying, they will cherish and appreciate more what they get. But we are willing to give our potential customers a special discount which they are used to do a testing. It is very important to give us feedback, we appreciate it.

3. Does your company accept custom-made?

Surely, we accept it. Including different color, grit etc. We also can mark your own logo and brand on the pad. Any new products you want us to produce for you, just send us your drawing or sample, we will produce the same one. We will not sell this kind of products to oth er

customers only if we get your permission.

Kindly Notice:

1.Please provide the material before purchase.

2.Before purchase, please provide the model of the machine.

3. Other specifications can be customized according to requirements.

Contact Us:

Fujian Nanan Manan Machinery Co.,Ltd.

🔀 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

TEL: (+86)595-86990206 / **SFax:** (+86)595-86990220

Mobile/WhatsApp/Wechat: (+ 86) 18650679939

E-mail: boreway@boreway.com

Lyon Chang