

Introduction:**Ceramic Profile Diamond Cutting Wheels D300*B10*50H**

100# set thick round, mounted on milling machine, line machine ,

bridge cutting machine,mainly used in ceramic chamfer.

We offer 12 " , 14" , 16 " , 18" 50 / 60mm bore diameter and standards,there are steel -based, aluminum and plastic substrates objective choice. machine.

Features :

1. The wheel has a high production efficiency , the shape , size and high accuracy.
- 2.The diamond -thick round sharp , long life, the steel body can use aluminum , nylon material reduces noise.
3. A matrix of the points of normal steel body and mute
4. We provide professional , quality after-sales marketing services.

Specification:


The following are some normal specifications of **Ceramic Profile Diamond Cutting Wheels D300*B10*50H 100#**:

Diameter	Normal Shape	Thickness	Inner hole	Grit
12"-18"	A/B/E/F/H/L/O/Q/T/V	10mm,15mm,20mm,30mm	50*60mm	30# ,60# ,100# ,200#

The above specification just a reference for you.Other specification can be order by customers.

Picture **Ceramic Profile Diamond Cutting Wheels D300*B10*50H 100#**

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Related product:
D150 ceramic chamfering grinding wheel

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com