Introduction:

80mm 3 step stone diamond flexible resin polishing pad for

stone which are attached to backer with velcro connections are used for polishing surface of marble,granite or other stone.It is used by portable grinder or other manual operated machines. Using from rough grit to fine grit. Finally via buff polishing g et a good polishing result.

This 80mm 3 step stone diamond flexible resin polishing pad uses imported nano case does not burn plate high temperature materials, use for marble,

ceramic stone, ceramics, glass, polished chamfer, can not add water.

The operator need only three steps can reach common ground sheet five-step, seven-step effect, easy to operate, improve efficiency, cost-effective!

Features:

- 1. Three step dry polishing pad for stone has long lifespan and stable performance.
- 2. Smooth polishing and glossy polishing surface.

Specifications:

The followings are the normal specifications of our 80mm 3 step stone diamond flexible resin polishing pad:

Diameter	Thickness	Quality Class		Holder
	Hand Use Floor Use	Wet or Dry		
80mm(3")			1,2,3	Velcro or Rubber
100mm(4")		Standard Economical		

The above specification just a reference for you. Other specifications can be ordered by client.

Picture:

80mm 3 step stone diamond flexible resin polishing pad





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com

Similar product:

Three step dry polishing pad for stone, granite resin polisher





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com