Product description

Brief introduction:

D50*45T*M14 segmented diamond drum wheels are used for grinding granite marble and other stone, zero tolerance grinding wheels are usually used before resin filled diamond zero tolerance grinding wheels, make the stone surface smooth and tidy. Segmented type zero tolerance wheel are excellent for rough grinding, grinding wheels design greatly reduces waste.

Using sequence:

From coarse grit to soft grit, finally polishing. These diamond drum wheels must be wet use. All of our products have been strictly tested before access to market. Other specifications can be customized according to requirements.

D	eta	ils

The specification of diamond zero tolerance grinding wheels:

Code No.	Diameter	Grit	Working Method	Segment Length	Connection
BW-DGW-Z-01	25mm(1")	Rough	Wet or Dry	20mm	M14
BW-DGW-Z-02	50mm(2")	Medium		35mm	5/8"-11
BW-DGW-Z-03	75mm(3")	Hard	ť	45mm	1/2"G
BW-DGW-Z-04	100mm(4")				

The following shows only part of the product, other products can be customized according to your needs

If you do not find the product you want,please contact us for more products details.





Notice:

1.Before purchase, please provide the model of the machine.

2.Please provide the processed material before purchase.

3.Other specifications can be customized according to requirements.

Packing

Diamond grinding wheels packing in the carton.

We can also pack the diamond grinding wheels according to your requirements. Special specifications need to be negotiated for delivery times.





CE

Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com

Similar products

D50*40T*M14 resin filled diamond drum polishing wheels

Contact Us

×

Fujian Nanan Boreway Machinery Co.,Ltd.

Address: Shuitou Town,Quanzhou, Fujian, China Post Code: 362342 TEL: (+86)595-86990206/(+86)18250633812 FAX: (+86)595-86990220 WhatsApp:+86-18359335376 Facebook:ChoisDong Email:borewa05@boreway.net