

**Introduction:**

This key hole ceramic saw cutting is widely used for cutting and nondestructive grooving on marble, granite, ceramic tile, concrete, decorative material, used on manual cutting machine

Suitable for dry cutting.

**Feature:**

1. Fast cutting speed and small cutting gap;
2. High cutting efficiency and no chipping;

**Specification:**

There are normal specification of Key hole ceramic saw cutting :

Product Name	Diameter(mm)	Segment Dimension(mm)	Segment Number(mm)	Bore/mm
Dry cutting blade for ceramic	105	20*1.8*7.5	8	16/20 /22.23/25.4/50
	115	20*1.8*8.0	9	
	125	20*2.0*8.0	10	
	150	20*2.0*7.5	10	
	180	20*2.2*8.0	14	
	200	20*2.2*8.0	14	
	230	20*2.4*8.0	16	
	250	20*2.4*8.0	18	

The above specification just a reference for you. Other specification can be ordered by clients.

**Picture**




Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Similar product:**

[Diamond cutting blade for cutting tiles,glazed tiles](#)

**boreway**<sup>®</sup>



Boreway Machinery Co., Ltd.  
[www.boreway.com](http://www.boreway.com)