Product Description

The **M diamond segment for stone block** is produced by mature technology, and the cutter head is welded on the 2500mm saw blade substrate by high-frequency welding.

Multi Saw Blade Diamond Cutting Segment For Suppliers the professional design size of the product is 24x11.5/10.5x15mm, with a sense of gradient design, which can make the cutter head cut faster, reduce friction and prolong the service life of the cutter head Generally, the of the cutter head is thicker than the matrix of the saw blade.

This design is to protect the matrix, reduce the friction between stone and the matrix of the saw blade and prolong the service life of the matrix of the saw blade.

Perfect after sale service, if you have any problem, contact us anytime. Available Shape: M shape, "V" shape, "K" shape, Normal shape We have been selling diamond segments to the following countries: Russia, India, Brazil, England, Australia, America, Canada, Finland, Saudi Arabia, South Africa, Greece, Egypt and many more countries.

Feature:

- 1. Fast cutting speed without chipping.
- 2. M shape diamond segment, fast cutting and Long life.
- 3. Cut stone without edge collapse and reduce loss cost
- 4. Diamond segment with high quality emery and special mixture.
- 5. **Stone Cutting Segment Wholesales**, cost-effective, High quality.

Product Specification:

The Following Are Normal Specifications M Diamond Segment For Stone Block:

Blade	Segment Size			Cutting Machine	Cutting Material	
Diameter	L	W	Н	Cutting Machine	Cutting Material	
2500mm, 100 inch	24MM	11.5/10.5MM	15MM	Bridge Cutting Machine Single Arm Machine	Granite, Sandstone, Slate,Kinds Of Hard Stone With Quartz	

The above specifications is only for reference, other specifications may be available as per customer's demand.

Other Specifications Of Cutter Segment:

Dian	neter	Thickness	Teeth		Segment S	Size	Hole	Max. RPM	Cutting Stone
Inch	mm	mm	pcs/set	L	W	Н	mm	RPM	#
10"	250	1.8(2.2)	17	40	3.2	8/10/12	50/60	3450	Granite
12"	300	1.8(2.2)	21	40	3.2	12/15/20	50/60	2850	Granite
14"	350	2.2(2.4)	24	40	3.2	12/15/20	50/60	2450	Granite
16"	400	2.6(2.8)	28	40	3.6	12/15/20	50/60	2150	Granite
18"	450	2.8(3.0)	32	40	4.2	12/15/20	50/60	1900	Granite
20"	500	2.8(3.0)	36	40	4.2	12/15/20	50/60	1750	Granite
24"	600	3.6(3.2)	42	40	4.6	12/15/20	50/60	1450	Granite
32"	800	4.2(4.5)	57	40	5.5	12/15/20	50/60	1150	Granite
36"	900	5.0(5.5)	64	40	6.5	12/15/20	60/80	950	Granite
36"	900	5.0(5.5)	64	24	7.0/6.2	13/15/20	60/80	950	Granite
40"	1000	5.0(5.5)	70	24	7.0/6.2	13/15/20	80/100	850	Granite
48"	1200	5.5(6.0)	80	24	7.4/6.6	13/15/20	80/100	750	Granite
56"	1400	6.0(6.5)	92	24	8.4/7.6	13/15/20	80/100	600	Granite
64"	1600	6.5(7.2)	108	24	9.2/8.4	13/15/20	80/100	550	Granite
72"	1800	7.2(8.0)	120	24	10.0/9.2	13/15/20	80/100	500	Granite
80"	2000	8.0(9.0)	128	24	11.0/10.0	15/20	100/120	450	Granite
86"	2200	8.0(9.0)	132	24	11.0/10.0	15/20	100/120	400	Granite
100"	2500	9.0(10.0)	140	24	12.0/11.0	15/20	100/120	350	Granite
120"	3000	9.0(10.0)	160	24	12.5/11.5	20/30	100/120	300	Granite
140"	3500	9.0(10.0)	180	24	13.0/12.0	20/30	100/120	250	Granite

Multi-Blade And Single-Disc Saw Blade Specifications:

Blade Diameter	Thickness	Segment Size	Cutting Stone
#	mm	LxWxH	#
2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
48"/1200mm	4.0	24x5.5x8H(10H)	Marble
48"/1200mm	4.5	24x6.0x8H(10H)	Marble
48"/1200mm	5.0	24x7.5x8H(10H)	Marble
48"/1200mm	5.5	24x8.0x8H(10H)	Marble
64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble
	# 2200-600 Multi 2200-600 Multi 2200-600 Multi 2200-600 Multi 2500-800 Multi 2500-800 Multi 2500-800 Multi 2500-800 Multi 1600-960 Multi 1600-960 Multi 40"/1000mm 48"/1200mm 48"/1200mm 48"/1200mm 48"/1200mm 48"/1200mm 48"/1200mm	# mm 2200-600 Multi 4.5 2200-600 Multi 5.0 2200-600 Multi 5.5 2200-600 Multi 6.5 2500-800 Multi 5.5 2500-800 Multi 6.5 2500-800 Multi 7.2 1600-960 Multi 6.5 1600-960 Multi 7.2 40"/1000mm 4.5-5.0 48"/1200mm 5.0-5.5 64"/1600mm 4.5 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0	# mm LxWxH 2200-600 Multi 4.5 24x6.4/5.6x13H(15H) 2200-600 Multi 5.0 24x7.0/6.2x13H(15H) 2200-600 Multi 5.5 24x7.4/6.6x13H(15H) 2200-600 Multi 6.5 24x8.4/7.6x13H(15H) 2500-800 Multi 5.5 24x7.4/6.6x13H(15H) 2500-800 Multi 5.5 24x8.4/7.6x13H(15H) 2500-800 Multi 7.2 24x9.2/8.4x13H(15H) 1600-960 Multi 7.2 24x9.2/8.4x13H(15H) 1600-960 Multi 7.2 24x9.2/8.4x13H(15H) 40"/1000mm 4.5-5.0 24x7.0/6.2x13H(15H) 48"/1200mm 5.0-5.5 24x7.5/6.5x13H(15H) 48"/1200mm 4.0 24x5.5x8H(10H) 48"/1200mm 5.0 24x7.5x8H(10H) 48"/1200mm 5.0 24x7.5x8H(10H) 48"/1200mm 5.0 24x7.5x8H(10H) 48"/1200mm 5.0 24x7.5x8H(10H) 48"/1200mm 5.5 24x8.0x8H(10H) 48"/1200mm 5.5 24x8.0x8H(10H) 64"/1600mm 6.5-7.2 24x9.2x10H(8H)

Product show

China Large Saw Blade M Diamond Segment For Stone Block Wholesales











Application:

Stone Block Cutting Diamond Segments For Manufacturer, it is wet use for granite granite, sandstone, slate, kinds of hard stone with quartz.

Diamond segment cutting supplier china For Bridge Cutting Machine ,Single Arm Machine







Tower Saw Blade





Multi Saw Blade





Single Saw Blade





FAQ

1. Do you have different quality for different kind of stone?

Yes, according hardness of stone and stone's feature, we have different typology respectively.

2. If we need technical support, can you offer us?

Yes, we have an experienced team, offering our customers additional benefits with specific advice, by our product management staff, engineers and technicians.

3. How can we be your agent in our country?

Please inform us your detailed company, we will discuss and propose helpful suggestion for you, and to find the best solution for you.



Contact Us:

Fujian Nanan homeway Machinery Co.,Ltd.

No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

TEL: (+86)595-86990206 / **Pax:** (+86)595-86990220

Mobile/WhatsApp/Wechat: (+ 86) 18650679939

E-mail: boreway@boreway.com

Lyon Chang