Product Description

The **M shape sandwich diamond cutting segment** design reduces the friction, speeds up the cutting speed of stone, prolongs the service life of the cutter head and improves the performance of the cutter head. Make the saw blade more flat and smooth to cut the large stone plate with flat surface and improve the yield.

The length of conventional cutter head is 24mm and 40mm, and other sizes and shapes can be customized according to requirements. We have M type, K type, flat type, fan type, W type, V type, slot, U type, etc.

The quality of our cutter head can be compared with Wanlong cutter head. The style is the same as Wanlong cutter head, and the cutting performance is the same as Wanlong saw blade cutter head. If the batch is large, the discount is also great.

Feature:

- 1.Large batches of cutter heads, high discounts.
- 2.Diamond saw blade with diamond segment, Stable cutting, narrow cutting gap, stone waste reduction.
- 3.Diamond granite segment for block cutting, smooth cutting, flat surface and even size, good cutting effect.

Product Specification:

The Following Are Normal Specifications M Shape Sandwich Diamond Cutting Segment:

Blade	Blade	Segment Size	Blade	Max.RPM	
Diameter	Thickness	(LxWxH)	Hole		
1600mm (64 Inch)	6.5[]7.2[]mm	24X9.2/8.4x13/15mm	80/110mm	550 RPM	

The above specifications is only for reference, other specifications may be available as per customer's demand.

Other Specifications Of Cutter Segment:

Diameter		Thickness	Teeth	Segment Size		Hole	Max. RPM	Cutting Stone	
Inch	mm	mm	pcs/set	L	W	Н	mm	RPM	#
10"	250	1.8(2.2)	17	40	3.2	8/10/12	50/60	3450	Granite
12"	300	1.8(2.2)	21	40	3.2	12/15/20	50/60	2850	Granite
14"	350	2.2(2.4)	24	40	3.2	12/15/20	50/60	2450	Granite
16"	400	2.6(2.8)	28	40	3.6	12/15/20	50/60	2150	Granite
18"	450	2.8(3.0)	32	40	4.2	12/15/20	50/60	1900	Granite
20"	500	2.8(3.0)	36	40	4.2	12/15/20	50/60	1750	Granite
24"	600	3.6(3.2)	42	40	4.6	12/15/20	50/60	1450	Granite
32"	800	4.2(4.5)	57	40	5.5	12/15/20	50/60	1150	Granite
36"	900	5.0(5.5)	64	40	6.5	12/15/20	60/80	950	Granite
36"	900	5.0(5.5)	64	24	7.0/6.2	13/15/20	60/80	950	Granite
40"	1000	5.0(5.5)	70	24	7.0/6.2	13/15/20	80/100	850	Granite
48"	1200	5.5(6.0)	80	24	7.4/6.6	13/15/20	80/100	750	Granite
56"	1400	6.0(6.5)	92	24	8.4/7.6	13/15/20	80/100	600	Granite
64"	1600	6.5(7.2)	108	24	9.2/8.4	13/15/20	80/100	550	Granite
72"	1800	7.2(8.0)	120	24	10.0/9.2	13/15/20	80/100	500	Granite
80"	2000	8.0(9.0)	128	24	11.0/10.0	15/20	100/120	450	Granite
86"	2200	8.0(9.0)	132	24	11.0/10.0	15/20	100/120	400	Granite
100"	2500	9.0(10.0)	140	24	12.0/11.0	15/20	100/120	350	Granite
120"	3000	9.0(10.0)	160	24	12.5/11.5	20/30	100/120	300	Granite
140"	3500	9.0(10.0)	180	24	13.0/12.0	20/30	100/120	250	Granite

Multi Blade And Single Disc Saw Blade Specifications:

Blade Diameter	Thickness	Segment Size	Cutting Stone
#	mm	LxWxH	#
2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
48"/1200mm	4.0	24x5.5x8H(10H)	Marble
48"/1200mm	4.5	24x6.0x8H(10H)	Marble
48"/1200mm	5.0	24x7.5x8H(10H)	Marble
48"/1200mm	5.5	24x8.0x8H(10H)	Marble
64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble
	# 2200-600 Multi 2200-600 Multi 2200-600 Multi 2200-600 Multi 2500-800 Multi 2500-800 Multi 2500-800 Multi 1600-960 Multi 1600-960 Multi 40"/1000mm 48"/1200mm 48"/1200mm 48"/1200mm 48"/1200mm 48"/1200mm 48"/1200mm	# mm 2200-600 Multi 4.5 2200-600 Multi 5.0 2200-600 Multi 5.5 2200-600 Multi 6.5 2500-800 Multi 5.5 2500-800 Multi 6.5 2500-800 Multi 7.2 1600-960 Multi 6.5 1600-960 Multi 7.2 40"/1000mm 4.5-5.0 48"/1200mm 5.0-5.5 64"/1600mm 4.5 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0	# mm LxWxH 2200-600 Multi 4.5 24x6.4/5.6x13H(15H) 2200-600 Multi 5.0 24x7.0/6.2x13H(15H) 2200-600 Multi 5.5 24x7.4/6.6x13H(15H) 2200-600 Multi 6.5 24x8.4/7.6x13H(15H) 2500-800 Multi 5.5 24x7.4/6.6x13H(15H) 2500-800 Multi 5.5 24x8.4/7.6x13H(15H) 2500-800 Multi 7.2 24x9.2/8.4x13H(15H) 1600-960 Multi 7.2 24x9.2/8.4x13H(15H) 1600-960 Multi 7.2 24x9.2/8.4x13H(15H) 40"/1000mm 4.5-5.0 24x7.0/6.2x13H(15H) 48"/1200mm 5.0-5.5 24x7.5/6.5x13H(15H) 48"/1200mm 4.0 24x5.5x8H(10H) 48"/1200mm 5.0 24x7.5x8H(10H) 48"/1200mm 5.0 24x7.5x8H(10H) 48"/1200mm 5.0 24x7.5x8H(10H) 48"/1200mm 5.0 24x7.5x8H(10H) 48"/1200mm 5.5 24x8.0x8H(10H) 64"/1600mm 6.5-7.2 24x9.2x10H(8H)

Product show

M Shape Sandwich Diamond Cutting Segment For Cutting Granite

M Shape Segment V Shape Design 1. Quickly Remove Waste 9.2mm 2.Help Reduce Temperature 13/15mmmm 8.4mm 24mm Wet For Cutting Granite Sandwich Design For 1600mm Diamond 1.Long Life Single Saw Blade 2.Smooth Cutting 3.Increase Sharpness



Application:

Wet cutting for granite block.

Diamond granite segment for single blade and mutil blade.

Stone block cutting diamond segments for granite and hard stone.

Granite block diamond segment for single arm machine, bridge cutting machine.



Granite







Tower Saw Blade





Multi Saw Blade





Single Saw Blade





FAQ

1. Do you offer free samples?

Normally we do not offer free samples, but we guaranty our product's quality.

2. How can we be your agent in our country?

Please inform us your detailed company, we will discuss and propose helpful suggestion for you, and to find the best solution for you.

3. If we need technical support, can you offer us?

Yes, we have an experienced team, offering our customers additional benefits with specific advice, by our product management staff, engineers and technicians.



Contact Us:

Fujian Nanan homeway Machinery Co.,Ltd.

No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

TEL: (+86)595-86990206 / **Sepanding** Fax: (+86)595-86990220

Mobile/WhatsApp/Wechat: (+ 86) 18650679939

E-mail: boreway@boreway.com

Lyon Chang