

**Introduction:**

Frankfurt magnesite bond abrasive grinding blocks applied to a continuous polishing line alternative to ordinary grinding block for polishing marble hot days, commonly used in rough grinding, the mill; also commonly used in quartz stone, artificial marble and other equipment will be thick on the surface of the artificial stone plate grinding treatment to obtain thickness and smooth surface delicate effect setting is conducive to the plate for subsequent polishing.

**Features:**

1. Long lifespan, high efficiency grinding;
2. Easy to use, fast, polished fast, stable quality, high working efficiency;
3. A variety of specifications can be customized according to customer requirements;
5. Factory direct, affordable, comprehensive and low cost.

**specification:**

The following is our Magnesite bond frankfurt abrasive grinding block normal specification:

specification	Types	granularity	Application materials
Magnesite Frankfurt abrasive	Type A	46 #, 60 #, 80 #, 120 #, 150 #, 180	Marble, quartz stone, artificial stone and other stone
	Type B	#, 220 #	

Other specifications can be customized according to requirements.

**Picture:**

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Similar products:**

[Frankfurt oxalic abrasive](#)

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)