

## Introduction:

Metal bond copper polishing pad for stone concrete surface sharp grinding that will substantially last longer than any resin bonded diamond pads on the market. Although they are copper bond polishing pads and 3mm thick, they are still very flexible for bullnose, radius, and bowl use. Application for wet polishing granite, marble, glass and other special-sharp stone of corner.

## Advantage:

- 1) Bright clear light and never fade
- 2) High gloss finishes in very short time
- 3) Beautiful package and fast delivery
- 4) Competitive price and superior quality
- 5) Different granularities and sizes as requested
- 6) Never mark the stone and burns the surface of the stone.

## Specification:

Specification of Metal bond copper polishing pad for stone concrete surface sharp grinding


diameter (inch/mm)	thickness(mm)	grit
3" /80mm	3.0mm	30#, 50#, 100#, 200#, 400#
4" /100mm		
5" /125mm		

Other thickness and diameter can be customized according to need.

## Image:


Metal bond copper polishing pad for stone concrete surface sharp grinding

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Contact us:**

**Fujian Nanan Boreway Machinery Co.,Ltd.**

**Address:** Shuitou Town,Quanzhou, Fujian, China

**Post Code:** 362342

**TEL:** (+86)595-86990206

**FAX:** (+86)595-86990220

**WhatsApp:**+86-18650679939

**Email:**borewa02@boreway.net