

Introduction:

1. Diamond microcrystalline saw blade is mainly used for cutting concrete and other materials, suitable for bridge cutting machine, manual cutting machine and desktop cutting machine;
2. The diameter of this saw blade is 300-1000mm, the inner hole is 50/60mm;
3. The tooth shape of this saw blade is key type, we can also customize other specifications of the cutter head according to your requirements;
4. We provide three different quality cutter heads. You can choose the cutter head you need according to your needs.

feature:

1. Can use laser welding and high frequency welding saw blade
2. Can only be used wet, fast & easy to cut, long life;
3. Little or no chips, perfect performance;
4. Other or special specifications can be ordered by the customer.

specification:

The normal size of the diamond blade:


productname	Diameter (mm)	Base thickness (mm)	Cutter head Size (mm)	Number of heads	application
Diamond saw blade	300	2.2	40 * 3.0 * 10(12,15,20)	twenty one	granite marble Other stones
	350	2.2	40 * 3.2 * 10(12,15,20)	twenty four	
	400	2.6	40 * 3.4 * 10(12,15,20)	28	
	450	3	40 * 3.6 * 10(12,15,20)	32	
	500	3	40 * 4.0 * 10(12,15,20)	36	
	550	3.6	40 * 4.6 * 10(12,15,20)	40	
	600	3.6	40 * 4.6 * 10(12,15,20)	42	
	650	4	40 * 5.0*10(12,15,20)	46	
	700	4	40 * 5.0*10(12,15,20)	50	
	750	4	40 * 5.0*10(12,15,20)	54	
	800	4.5	40 * 5.5 * 10(12,15,20)	57	
850	4.5	40 * 5.5 * 10(12,15,20)	58		

Other specifications can be customized as needed.

[Click here for more products and sizes!](#)


image:

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

If you want to know more pictures, please contact us.

contact us:

Fujian Nanan Bowei Machinery Co., Ltd.

Address: Shuitou Town, Nan'an City, Fujian Province

Zip code: 362342

Phone: (+86) 595-86990206

Fax: (+86) 595-86990220

Skype: boreway 02

Whatsapp: (+86)18359335376

WeChat: Sherry_154

Email: boreway02@boreway.net