Feature:

- 1. Normal Diamond Segment For Cutting Granite size: 40x7x15mm.
- 2.Long service life and high comprehensive cost performance.
- 3. Fast cutting, small cutting seam, flat stone surface and uniform size.
- 4. <u>Stone Cutting Segment Wholesales</u> has good sharpness, fast cutting speed and good cutting efficiency.

Product Description

Normal diamond segment for cutting granite.40x7x15mm diamond cutter head, each cutter head is made with high-quality diamond particles and metal powder.

Choosing a good diamond bit for your granite saw blade can save you a lot of cost and time.

High quality diamond materials are used in our each piece of high quality granite block diamond segment.

Produced with high quality diamonds and materials to ensure the quality of granite diamond segments. Multi saw blade diamond cutting segment.we specially made segments for soft, medium, and hard marble. With the main features of fast cutting and long lifespan. Saving you more than 50% cost and energy every time.

Product Specification:

The Following Are Normal Specifications **Normal Diamond Segment For Cutting Granite**:

Name	Seg	ment Size		Pack Each Box	Production Process	
	L	W	Н	Pack Each Box		
1000mm Diamond Saw Blade Segment	40MM	7MM	15MM	52Pin	Hot Pressing, Cold Pressing	

The above specifications is only for reference, other specifications may be available as per customer's demand.

Other Specifications Of Cutter Segment:

Dian	neter	Thickness	Teeth		Segment S	Size	Hole	Max. RPM	Cutting Stone
Inch	mm	mm	pcs/set	L	W	Н	mm	RPM	#
10"	250	1.8(2.2)	17	40	3.2	8/10/12	50/60	3450	Granite
12"	300	1.8(2.2)	21	40	3.2	12/15/20	50/60	2850	Granite
14"	350	2.2(2.4)	24	40	3.2	12/15/20	50/60	2450	Granite
16"	400	2.6(2.8)	28	40	3.6	12/15/20	50/60	2150	Granite
18"	450	2.8(3.0)	32	40	4.2	12/15/20	50/60	1900	Granite
20"	500	2.8(3.0)	36	40	4.2	12/15/20	50/60	1750	Granite
24"	600	3.6(3.2)	42	40	4.6	12/15/20	50/60	1450	Granite
32"	800	4.2(4.5)	57	40	5.5	12/15/20	50/60	1150	Granite
36"	900	5.0(5.5)	64	40	6.5	12/15/20	60/80	950	Granite
36"	900	5.0(5.5)	64	24	7.0/6.2	13/15/20	60/80	950	Granite
40"	1000	5.0(5.5)	70	24	7.0/6.2	13/15/20	80/100	850	Granite
48"	1200	5.5(6.0)	80	24	7.4/6.6	13/15/20	80/100	750	Granite
56"	1400	6.0(6.5)	92	24	8.4/7.6	13/15/20	80/100	600	Granite
64"	1600	6.5(7.2)	108	24	9.2/8.4	13/15/20	80/100	550	Granite
72"	1800	7.2(8.0)	120	24	10.0/9.2	13/15/20	80/100	500	Granite
80"	2000	8.0(9.0)	128	24	11.0/10.0	15/20	100/120	450	Granite
86"	2200	8.0(9.0)	132	24	11.0/10.0	15/20	100/120	400	Granite
100"	2500	9.0(10.0)	140	24	12.0/11.0	15/20	100/120	350	Granite
120"	3000	9.0(10.0)	160	24	12.5/11.5	20/30	100/120	300	Granite
140"	3500	9.0(10.0)	180	24	13.0/12.0	20/30	100/120	250	Granite


Multi-Blade And Single-Disc Saw Blade Specifications:

Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble

Product show

1000mm Normal Diamond Segment For Cutting Granite Manufacturer

Diamond Saw Blade Segment For Manufacturer









Application:

Normal Diamond Segment For Cutting Granite, other hard stones.

China Stone blade segment for multi blades, <u>Diamond Segment Cutting Supplier China</u> use for stone block.

This product is a conventional cutter head. The factory also produces other styles of cutter heads, as well as the cutter heads of metal grinding blocks and drill bits.
















FAQ

1. What is your terms of payment?

We accept DHL, Fedex, TNT, UPS, etc.

2.Do you provide samples? Is it free or extra?

Yes, we could offer you the sample machine. But it's not free. You need to pay for the sample and the cost of freight.

3. Will the company reduce cost and quality for price?

To reduce other unnecessary costs

To find good agents for lower shipping fees

To find the right suppliers of product materials

It will never reduce the quality of the product. We can optimize the product process and take

some measures to protect the quality of the product.s.



Contact Us:

Fujian Nanan from Machinery Co.,Ltd.

No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

TEL: (+86)595-86990206 / **Sepanding** Fax: (+86)595-86990220

Mobile/WhatsApp/Wechat: (+ 86) 18650679939

E-mail: boreway@boreway.com

Lyon Chang