

Product Description

1. Redi lock rotary bush hammer plate for litchi surface is suitable for surface fabricating, making bush hammered effects for stone products. It's scrollable, rotary and highly efficiency.

2. Rotary bush hammer roller is grit can be changed through the adjustment of spring elasticity on bush hammer, manual grinding machine press.

3. [Bush Hammer Roller Manufacturers](#) can be 30 teeth, 45 teeth, 60 teeth or other specificatin.

4. This product can install the 45 teeth redi lock Husqvarna grinding block on the HTC conversion plate.

Feature:

1. To remove glue, varnish and resin coating.

2. To create "face-see effect" on precast panels.

3. To break-down thick coating difficult to remove with normal diamond tools.

4. For floor preparation. using bush hammer, in combination with diamond tools, it is possible to prepare in the best way the surface in order to apply correctly the new coating.

Product Specification:

The Following Are Normal Specifications **Redi Lock Rotary Bush Hammer Plate** :

Diameter	Roller No.	Head Number	Material	Application
270mm	6 Roller	45 Teeth	HTC Floor Grinder	Concrete, Marble, Granite, Asphalt Pavement

The above specifications is only for reference, other specifications may be available as per customer's demand.

More Normal Specification Of Rotary Bush Hammer Roller:

Model	Out Diameter	Wheel Width	Segment Quantity	Segment Diameter	Remark
-------	--------------	-------------	------------------	------------------	--------

BW-BHR4530	45	22	30	3.6 4.5 4.6 4.7 6.0 8.0	With Stand Without Stand
BW-BHR5330	53	30	30		
BW-BHR5530	55	22	30		
BW-BHR5545	55	22	45		
BW-BHR5545	55	30	45		
BW-BHR5545	55	39	45		
BW-BHR5545	55	53	45		
BW-BHR5545	55	55	45		
BW-BHR5560	55	43	60		
BW-BHR8060	80	55	60		
BW-BHR5972	59	53	72		
BW-BHR6077	60	53	99	Star Type	
BW-BHR3307	33	6	7		
BW-BHR3310	33	6	10		
BW-BHR4910	49	6	10		
BW-BHR4915	49	6	15		
BW-BHR4920	49	6	20		

More Normal Specification Of Rotary Bush Hammer Plate:


Model	Out Diameter		Wheel Width	Segment Quantity
	Inch	mm		
BW-BH12514	5	125	3	14
BW-BH12514			4	14
BW-BH12520			3	20
BW-BH12520			4	20
BW-BH12530	5	125	3	30
BW-BH15014	6	150	4	14
BW-BH12520	6	150	4	20
BW-BH15045	6	150	3	45
BW-BH15030			4	30
BW-BH20045	8	200	4	45
BW-BH20030			6	30
BW-BH25045	10	250	5	45
BW-BH25030			6	30
BW-BH30045	12	300	6	45
BW-BH30030			9	30
BW-BH35045	14	350	9	45
BW-BH35030			12	30

Can customize the size of other rotary bush hammers roller as required.

Product show

270mm Redi Lock Rotary Bush Hammer Plate For Rough Surface

This product can install the 45 teeth redi lock Husqvarna grinding block on the HTC conversion plateu,use for HTC flloor machine.







Application:


Rotary [Bush Hammer Plate Manufacturers](#) for HTC floor grinder.

Bush hammer bit for granite,marble,concrete,sandstone.





Marble



Granite



Quartz



Sandstone



Limestone



Concrete Floor



Asphalt Pavement

FAQ

1. Will the teeth of the bush hammer roller fall off?

of course not, We use high-strength flux to weld the carbide tip to the grinding wheel. The grinding wheel is sturdy and durable, with a long life, and the tip is not easy to fall off.

2. When you can reply to me when I send you an Inquiry?

We promise to reply within 6 hours(including holidays) on receipt of your inquiry.

3. Is there cheap shipping cost to import to our country?

For small order, Express will be the best, And for bulk order, sea ship way is best but take longer time. For urgent orders, we suggest via air to airport or by Express send to your door.



Contact Us:

Fujian Nanan **boreway** Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail:** boreway@boreway.com

 **Lyon Chang**