

## Feature:

- 1.Our best after sale service.
- 2.Fast delivery time meet to your requirements.
- 3.High diamond density can let you get a low cost for per square foot.
- 4.10mm thickness work part with special material make a long life for polish.

## Product Description

**[3 Inch Resin Polishing Pad For Manufacturer](#)**,It is designed for floor polishing, special material make the pad have a long life than other pads when polishing floor, also have a high density diamond so can get a high efficiency for polish work, polishing pads for concrete floor ,from 50# to 3000# can be choose make you can totally finished the floor polish and have a mirror surface. High quality from our own factory produce floor polishing pad.

## Product Specification:

The followings are the normal specifications of our **3 inch resin polishing pad**:


Diameter	Thickness	Grit No.
80mm (3")	10mm	50#, 100#, 200#,400#, 800#, 1500#,3000#

More normal specification of **[Resin Bond Diamond Polishing Pads For Suppliers](#)** :

Diameter	Thickness	Grit No.	Holder
80mm(3")	10mm	50#, 100#, 200#,400#, 800#, 1500#,3000#	Velcro
100mm(4")	10mm		

## Product show

Round Shape Diamond Polishing Pads for Concrete Floor



**Workable Thickness: 10mm**



**Diameter: 80mm**





## **Selected Nylon Back Velvet**

**Long high-quality nylon back velvet is used to paste firmly, and repeated tearing and pasting will not be damaged.**







## Long Life Use

10mm grinding thickness, compared with 3mm water grinding plate on the market, one piece is top of three piece.



## Selected Diamond Raw Materials

Adopts imported carborundum powder, which can be polished quickly and used more quickly.

### Application:

**3 inch resin bond diamond polishing pads** for concrete and natural stone.

Wet polishing resin floor pad for polisher, grinder, floor grinding machine.

### Kindly Noted, when place order please inform the following:

- 1.How to use (Wet Or Dry Use)
- 2.How many Grit (50-3000#,Buff etc.)
- 3.Use machines (Angle Grinder, Floor polishing Machine)
- 4.Use scene (kitchen, stairs, stone surface, decoration, etc.)
- 5.The Diameter of the polishing pad (80mm,100mm,125mm,150mm)
- 6.Use object (marble, granite or other stone, Tile, Quartz and other stone)

7.Types of polishing discs (Conventional Polishing Pad, Four-Pointed Star Polishing Pad, Spiral White Polishing Pad, Flower Polishing Pad, Wet And Dry Polishing Pad, Hexagonal Dry Polishing Pad, Thick Polishing Pad, Electroplating Triangle Polishing Pad, Convex Polishing Pad, Ground Renovation Pad, Other Polishing Pad,[Polishing Pads For Concrete Floor For Suppliers](#))



**Terrazzo**



**Concrete**



**Marble**

**It is specially used for curing, grinding and polishing of cement floor, with good use effect, sharper and durable, and high surface gloss.**

General polishing effect of polishing pad on the market

**VS**

Polishing effect of our polishing pad





## FAQ

### **1. How can we be your agent in our country?**

Please inform us your detailed company, we will discuss and propose helpful suggestion for you, and to find the best solution for you.

### **2. If we need technical support, can you offer us?**

Yes, we have an experienced team, offering our customers additional benefits with specific advice, by our product management staff, engineers and technicians.

### **3. Can your products use different objects and materials?**

It is best to communicate with our staff before using, because different products use different proportions of ingredients and use different effects.

### **Logistics:**

Sample order ship by DHL, UPS, FedEx, TNT, EMS etc

For mass order delivery, can be optional with terms of Exwork, FOB, CNF, CIF by air or by sea based on the buyer's forwarder or ours



## Contact Us:

# Fujian Nanan *boreway*® Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /



**Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 18650679939



**E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)



**Lyon Chang**