

Product Description

[China Diamond Zero Tolerance Wheel Resin Filled Manufacturer](#)

1. Resin-filled drum wheel allows a smoother grinding of the sink hole.
2. Resin filled diamond drum wheels are well balanced for zero vibration and also reduce the bounce greatly.
3. Vertical oscillation recommended for faster stock removal.

Feature


1. High quality and long life
2. Fast stock removal with center water feed
3. Clean up bowels and prepare the stone for polishing
4. China Diamond Zero Tolerance Wheel Resin Filled, Water feed holes design for wet or dry use [Zero Tolerance Grinding Wheel Supplier](#)

Product Specification:

The followings are the normal specifications of our China Diamond Zero Tolerance Wheel Resin Filled:

Model	Diameter	Segment Length	Bore
BW-ZTW-MR01	25mm (1 Inch)	35mm 40mm 45mm	M14 M16 5/8"-11 1/2"G
	50mm (2 Inch)		
	75mm (3 Inch)		
	100mm (4 Inch)		

The above specifications are for reference, other specifications can be ordered by customers. please click here [China Diamond Abrasive Grinding Wheel Suppliers](#)



Resin Filled

Smoother Grinding Of
The Sink Hole.

Water Feed Holes Design

Heat Dissipation
& Waste Removal

Application

Granite & Marble &
Engineered Stone

High Quality Diamond

Increased Sharpness
Efficient Processing
Long Life



Application:

China Diamond Zero Tolerance Wheel Resin Filled are designed and made for aggressive grinding and polishing on granite, marble and engineered stone sink edges.]


They are more aggressive and are lasting longer than the Vacuum Brazed Zero Tolerance wheels with faster granite stock removal.


Kindly Noted, when place order please inform the following:

1. The diameter of the zero tolerance wheel (25mm, 50mm, 75mm, 100mm)
2. Interface of zero tolerance wheel (M14, M16, 5/8"-11, 1/2"G)
3. Segment Length of zero tolerance wheel (35mm, 40mm, 45mm)
4. Who is it used for? (Grinding Granite, Marble, Sandstone And Other Stone)

5. What scenario is it used for?(For Removing The Edge Of Counter Top,Basin,Sink Etc)

6. Type of zero tolerance wheel (Segment Forest Tolerance Wheel,Resin Filled Wheel,Continuous Zero Tolerance Wheel,Integral Zero Tolerance Wheel,Bottom Section Zero Tolerance Wheel With Cutter Head,Resin Polishing Drum/Plating Drum Wheel,Brazing Drum Wheel)





75mm



100mm







Factory Show



FAQ

1.How could we know the quality, if we want to order your products?

Please just test them with a very small order, then you will know the quality. At present,so many people in the world to use Chinese products, because of the high quality and most competitive prices. We are professional manufacturer in supplying diamond tools for more than 8 years. Anyway, confirming our products quality, a small trial order for testing will be necessary.

2.Can you offer free samples?

We don't offer free samples, according to our many years experience, we think people get the samples by paying, they will cherish and appreciate more what they get. But we are willing to give our potential customers a special discount which they are used to do a testing.

It is very important to give us feedback, we appreciate it.

3.Does your company accept custom-made?

Surely, we accept it. Including different color, grit etc. We also can mark your own logo and brand on the pad. Any new products you want us to produce for you, just send us your drawing or sample, we will produce the same one. We will not sell this kind of products to other customers only if we get your permission.

Logistics:

Sample order ship by DHL, UPS, FedEx, TNT, EMS etc

For mass order delivery, can be optional with terms of Exwork, FOB, CNF, CIF by air or by sea based on the buyer's forwarder or ours



Contact Us:

Fujian Nanan **boreway**® Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail:** boreway@boreway.com

 **Lyon Chang**