

Introduction:**CNC Diamond Standard Stubbing Wheel With Axis**

D86*40T*50H are used for surface milling and material removal for various granite and marble stone on router machines.

Their merits are high efficiency of production, accuracy in shape and size.

Features:

1. The unique design with good sharpness allows easy dust removal, low noise and safety.
2. With feature of high efficiency, accuracy in shape and size.
3. Good performance and long lifespan.

Specifications:

The followings are the other normal specifications of our **CNC Diamond Standard Stubbing Wheel With Axis**


D86*40T*50H:

Diameter/mm	Segment height/mm	Inner hole/mm	Connection	Grit No.	Machine
50 86 100 90	20 30 40	10 50	Φ10-2+2Hole Φ50-3+3Hole Φ50-3+3Hole	30/40# 60# 100# 200#	CNC machine and radial arm machine

The above specification just a reference for customers. Other specifications can be ordered by customers.

Picture:**CNC Diamond Standard Stubbing Wheel With Axis D86*40T*50H**

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Related product:

CNC Diamond Standard Stubbing Wheel For Stone D50*20T*10H

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com