

## Feature:

1. [Diamond Segment Cutting Supplier China](#) works in low noise, little pollution and small cutting slot which ensures maximum use of stone and uniform thickness.
2. [Stone Cutting Segment Wholesales](#) is design makes fast diamond exposed and cutting speed with high cutting efficiency. Besides, easing vibration and noisy reducing.
3. The diamond segment cutting supplier china adopts the design with slope, which does not rub the saw blade matrix during cutting, with low resistance and fast cutting.

## Product Description

The cutter head adopts the design with slope. The thickness of both sides of the cutter head is different, which is 10mm and 11mm.

The thicker side is connected with the saw blade. The thickness of the cutter head is normally greater than the thickness of the substrate, so as not to rub the saw blade substrate during cutting, with small resistance and fast cutting.

## Product Specification:

The following are normal specifications **stone block cutting diamond segment** :

Product Name	Segment Size			Application
	L	W	H	
Stone Block Cutting Diamond Segment	30MM	10/11mm	30MM	Granite, Sandstone, Various Hard Stone

Other specifications may be available as per customer's demand.

### Stone Saw Blade Segment Shape


For Granite



For Marble



### Gang Saw Segment Shape



**Other Specifications Of Cutter Segment:**

Diameter		Thickness	Teeth	Segment Size			Hole	Max. RPM	Cutting Stone
Inch	mm	mm	pcs/set	L	W	H	mm	RPM	#
10"	250	1.8(2.2)	17	40	3.2	8/10/12	50/60	3450	Granite
12"	300	1.8(2.2)	21	40	3.2	12/15/20	50/60	2850	Granite
14"	350	2.2(2.4)	24	40	3.2	12/15/20	50/60	2450	Granite
16"	400	2.6(2.8)	28	40	3.6	12/15/20	50/60	2150	Granite
18"	450	2.8(3.0)	32	40	4.2	12/15/20	50/60	1900	Granite
20"	500	2.8(3.0)	36	40	4.2	12/15/20	50/60	1750	Granite
24"	600	3.6(3.2)	42	40	4.6	12/15/20	50/60	1450	Granite
32"	800	4.2(4.5)	57	40	5.5	12/15/20	50/60	1150	Granite
36"	900	5.0(5.5)	64	40	6.5	12/15/20	60/80	950	Granite
36"	900	5.0(5.5)	64	24	7.0/6.2	13/15/20	60/80	950	Granite
40"	1000	5.0(5.5)	70	24	7.0/6.2	13/15/20	80/100	850	Granite
48"	1200	5.5(6.0)	80	24	7.4/6.6	13/15/20	80/100	750	Granite
56"	1400	6.0(6.5)	92	24	8.4/7.6	13/15/20	80/100	600	Granite
64"	1600	6.5(7.2)	108	24	9.2/8.4	13/15/20	80/100	550	Granite
72"	1800	7.2(8.0)	120	24	10.0/9.2	13/15/20	80/100	500	Granite
80"	2000	8.0(9.0)	128	24	11.0/10.0	15/20	100/120	450	Granite
86"	2200	8.0(9.0)	132	24	11.0/10.0	15/20	100/120	400	Granite
100"	2500	9.0(10.0)	140	24	12.0/11.0	15/20	100/120	350	Granite
120"	3000	9.0(10.0)	160	24	12.5/11.5	20/30	100/120	300	Granite
140"	3500	9.0(10.0)	180	24	13.0/12.0	20/30	100/120	250	Granite


**Multi-Blade And Single-Disc Saw Blade Specifications:**

Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble

[Product show](#)

**Professional Diamond Segment for Cutting Stone Block Manufacturer**

# Diamond Segment For Granite










### **Application:**

Diamond saw blade segment for granite, sandstone, various hard stone.

**Stone block cutting diamond segment** for bridge cutting machine and single arm machine.

Diamond segment cutting supplier china using in block cutting for 900-3500mm circular saw blades for block cutting.



## FAQ

### **1. Are you a trading company or a diamond tool manufacturer?**

We are a diamond tool manufacturer, Nanan Boreway Co., Ltd. is a professional and experienced diamond tool manufacturer in China.

We have a relative product price advantage, maintain controllable product quality, high



quality and stability of diamond raw materials.

## 2. Are you professional□

All of our company's products are diamond tools or related machinery products. They are highly professional and have maintained their pre-industry level. We are more professional and can help you find the ideal ideal for your market (dealer) or project (end user). Diamond tools.

## 3. Will the company reduce cost and quality for price?

To reduce other unnecessary costs

To find good agents for lower shipping fees

To find the right suppliers of product materials

It will never reduce the quality of the product. We can optimize the product process and take some measures to protect the quality of the product.

**Courier Express**  
door to door service



**By Air**  
to destination airport



**By Sea**  
to destination sea port



### Contact Us:

**Fujian Nanan *boreway*® Machinery Co.,Ltd.**



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 18650679939



**E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)



**Lyon Chang**