Introduction:

Stone diamond cut off wheel-resin bond are used to grinding and polishing the surface of stone like granite,marble etc.Stone diamond cut off wheel-resin bond also can removal the surface's impurity of floor,concrete and so on.Stone diamond cut off wheel-resin bond has high efficiency and long lifespan.

Wet use only.

Feature:

- 1. High grinding efficiency
- 2. Good polishing effect
- 3. Good performance and long lifespan

Specification:

The normal specification of stone diamond cut off wheel-resin bond:

| Code No. | Diameter | Grit No. | Back | Type |
|--------------|-------------|-------------------|----------------|-----------|
| BW-DPW-03-01 | 100mm (4") | #500, #800, #1500 | Velcro or Plas | tic Resin |
| BW-DPW-03-02 | 125mm (5") | | with Screw | Bond |
| BW-DPW-03-03 | 150mm (6") | | Holes | |
| BW-DPW-03-04 | 180mm (7") | | | |
| BW-DPW-03-05 | 200mm (8") | | | |
| BW-DPW-03-06 | 250mm (10") | | | |

The above specification just a reference for customers. Other specification can order by clients.

PicPicture:





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com

Similar product:

Metal resin bond diamond grinding disc for granite, metal resin bond diamond cut off wheel





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com