

**Introduction:****Stone profile diamond cutting wheel**

**D400\*60T\*50H** are used for profiling and polishing the edge, side of stone ,elevator door cover and frame of fireplace .Their merits are extremely high glossy surface , and high accuracy in size and shape.

**Features:**

- 1.Different shapes and sizes are available.
- 2.Good balance and stable performance.
- 3.Sintered segment is aggressive for easy and quick stock removal.

**Specifications:**

The followings are the normal specification of our **Stone profile diamond cutting wheel D400\*60T\*50H:**

Product Name	Diameter	Thickness	Inner Hole	Application	Shape Type
Diamond grinding wheel	150mm	20/30/40	30	Granite Marble Other stone	Bullnose Single Dupont Single Bullnose Half Radius Single Threshold Single Edge Ogee Bullnose Bevel Double Ogee Double Radius Top Chamfer Other Types
	200mm	20/30/40	30		
	250mm	20/30/40	50		
	300mm	20/30/40	50		
	350mm	20/30/40	50		

The above specification just for a reference.Other specification can be ordered by customers.

**Picture:****Stone profile diamond cutting wheel D400\*60T\*50H**

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

□□□□

**D120 sintered grinding wheel diamond for granite, stone diamond profiling wheel for milling**


---



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Contact Us:**

Fujian Nanan **boreway** Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)

 **Lyon Chang**