

## Introduction:

Three step dry polishing pads for stone which are attached to backer with velcro connections are used for polishing surface of marble, granite or other stone. It is used by portable grinder or other manual operated machines. Using from rough grit to fine grit. Finally via buff polishing get a good polishing result.

## Features:

1. Three step dry polishing pad for stone has long lifespan and stable performance.
2. Smooth polishing and glossy polishing surface.

## Specifications:


The followings are the normal specifications of our three step dry polishing pad for stone:

Diameter	Thickness		Quality Class	Grit No.	Holder
	Hand Use	Floor Use			
80mm(3")	2.2-3.0mm	3-10mm	Premium	50#, 100#, 200#, 400#, 800#, 1500#, 3000#, Buff	Velcro or Rubber
100mm(4")			Standard		
125mm(5")			Economical		
150mm(6")					
180mm(7")					

The above specification just a reference for you. Other specifications can be ordered by client.

## Picture:

**boreway**®




**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Similar product:**

[125mm diamond polishing pad for granite,dry and wet use stone polishing](#)

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)