

Product Description

The 300mm double layer **vacuum brazing rotary bush hammer plate**, with spring support, reduces the pressure of the bush hammer roller when the grinding disc is working, and prolongs the service life.

Rotary double layer vacuum brazing bush hammer plate, can be polished out of the sandblasted surface.

12 Inch Double layer bush hammer plate with 6 roller for stone sandblasting is used sophisticated welding technology and selecting high quality aluminum alloy to casting, bush hammered's grit can be changed through the adjustment of spring elasticity on bush hammer, manual grinding machine press.

Both enlarging spring's interval to reduce spring elasticity and reducing machine's press can enhance bush hammer vibration to make bush hammered face rough.

Feature:

1. **Rotary Bush Hammer Roller For Manufacturer**, Used to make sandblasted surface.
2. Competitive price and superior quality, factory price and long life.
3. Different granularities and sizes as requested for the diamond roller.
4. Vacuum brazing double layer plate, Durable metal and diamond compound.
5. **Bush Hammer Bit For Manufacturer**, effective for grinding natural stones and concrete to get bush hammer effect.

Product Specification:

The Following Are Normal Specifications **Vacuum Brazing Diamond Bush Hammer Plate**:

Diameter	Roller Number	Layer Number	Roller Type	Application
300MM (12 Inch)	6 Roller	Double Layer	Vacuum Brazed Bush Hammer Roller	Concrete, Marble, Granite, Asphalt Pavement

The above specifications is only for reference, other specifications may be available as per customer's demand.

More Normal Specification Of Rotary Bush Hammer Roller:

Model	Out Diameter	Wheel Width	Segment Quantity	Segment Diameter
BW-BHR4530	45	22	30	3.6 4.5 4.6 4.7 6.0 8.0
BW-BHR5330	53	30	30	
BW-BHR5530	55	22	30	
BW-BHR5545	55	22	45	
BW-BHR5545	55	30	45	
BW-BHR5545	55	39	45	
BW-BHR5545	55	53	45	
BW-BHR5545	55	55	45	
BW-BHR5560	55	43	60	
BW-BHR8060	80	55	60	
BW-BHR5972	59	53	72	
BW-BHR6077	60	53	99	
BW-BHR3307	33	6	7	Star Type
BW-BHR3310	33	6	10	
BW-BHR4910	49	6	10	
BW-BHR4915	49	6	15	
BW-BHR4920	49	6	20	

More Normal Specification Of Rotary Bush Hammer Plate:


Model	Out Diameter		Wheel Width	Segment Quantity
	Inch	mm		
BW-BH12514	5	125	3	14
BW-BH12514			4	14
BW-BH12520			3	20
BW-BH12520			4	20
BW-BH12530	5	125	3	30
BW-BH15014	6	150	4	14
BW-BH12520	6	150	4	20
BW-BH15045	6	150	3	45
BW-BH15030			4	30
BW-BH20045	8	200	4	45
BW-BH20030			6	30
BW-BH25045	10	250	5	45
BW-BH25030			6	30
BW-BH30045	12	300	6	45
BW-BH30030			9	30


BW-BH35045	14	350	9	45
BW-BH35030			12	30

Can customize the size of other rotary bush hammers roller as required.

Product show

Double Layer Vacuum Brazing Diamond Rotary Bush Hammer Plate For Sandblasting Finish









Application:

Bush hammer bit for radial arm polishing machine, floor grinder.

Bush hammer plate for sandblasting surface, carbide bush hammer roller can create litchi surface.

Double layer bush hammer plate with 6 roller for grinding concrete, marble, granite, asphalt pavement.



Marble



Granite



Quartz



Sandstone



Limestone



Concrete Floor



Asphalt Pavement



BOREWAY

FAQ

1.How can we be your agent in our country?

Please inform us your detailed company, we will discuss and propose helpful suggestion for you, and to find the best solution for you.

2. If we need technical support, can you offer us?

Yes, we have an experienced team, offering our customers additional benefits with specific advice, by our product management staff, engineers and technicians.

3.Can your products use different objects and materials?

It is best to communicate with our staff before using, because different products use different proportions of ingredients and use different effects.



Contact Us:

Fujian Nanan **boreway** Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /



Fax: (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 18650679939



E-mail: boreway@boreway.com



Lyon Chang