

## Introduzione:

### **Disco abrasivo piatto abrasivo diamantato vuoto diamantato**

**Ruote con profilo a mano diamantata** sono utilizzati per la macinazione di marmo, granito, quarzo, ceramica, pietra artificiale e vetro; Soprattutto per il calcestruzzo esterno muro in costruzione o decorazione; Appiattimento parziale di pavimenti e pannelli di marmo o granito.

La rotella a tazza diamantata brasata è eccellente per la rimozione del lievito sul pavimento e sui bordi. Possono anche essere utilizzati per il contorno di lavandini e bordi arrotondati dove una ruota piatta diamantata non è adatta.

Macchina: Smerigliatrice angolare

## caratteristica:

1. Può essere usato asciutto o bagnato;
2. La macinazione a umido è utile per la vita lavorativa;
3. Alta efficienza e molte volte meglio dei prodotti elettrolitici.

## Specifiche:

### **Ruota diamantata a mano con mola diamantata per vuoto**

Diametro	Arbor (Bore)	Diamante Spessore	fiocchi d'avena
3inch / 75 millimetri	20 millimetri	10 mm, 15 mm, 20 mm, 25 mm, 30 mm	60 #

**L'altro diametro o le specifiche possono essere customerized secondo i requisiti del compratore.**

## Immagini:

### **Ruota diamantata a mano con mola diamantata per vuoto**

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

# Vacuum Brazed Diamond Grinding Wheel

Available Diamond thickness:

10mm; 15mm; 20mm; 25mm; 30mm



# Vacuum Brazed Diamond Grinding Wheel

Available Diamond thickness:

10mm; 15mm; 20mm; 25mm; 30mm



# Vacuum Brazed Diamond Grinding Wheel

Available Diamond thickness:


10mm; 15mm; 20mm; 25mm; 30mm



# Vacuum Brazed Diamond Grinding Wheel

Available Diamond thickness:

10mm; 15mm; 20mm; 25mm; 30mm



## Vacuum Brazed Diamond Grinding Wheel

Available Diamond thickness:

10mm; 15mm; 20mm; 25mm; 30mm



74MM

thickness  
30MM

**Più mola relativa, Pls clicca qui: [Mola diamantata per tazza](#)**

### Imballaggio & Consegna:

1. Strumenti di imballaggio in casi di cartone;
2. Quando gli strumenti sono in grandi quantità, vengono imballati in casse di legno.

# -DELIVERY-

Less than 45kg,generally delivery by express(Door to Door).



By Air / Sea for batch goods, Airport / Port receiving.

BY AIR



BY SEA



[Contattaci:](#)

**Fujian Nanan Boreway Machinery Co.,Ltd.**

**Indirizzo: Huahui Centre 605, Shuitou Town, Quanzhou, Fujian, Cina.**

**Codice postale: 362342**

**Tel .: 0086-595-86990206**

**Fax: 0086-595-86990220**

**Contatto: Ally Huang**

**Mobile / WhatsApp: 0.086-13559599186**

**wechat: boreway 05**

**Skype: boreway 05**

**Facebook: 13559599186**

**E-mail: boreway05@boreway.net**