

Part 1: Overview

The following information is provided for the CNC tool. The tool is designed for use in a CNC machine. The tool is made of high-speed steel (HSS) and is suitable for use in a wide range of materials. The tool is available in various sizes and is suitable for use in a wide range of applications. The tool is designed to provide high accuracy and long life. The tool is suitable for use in a wide range of materials, including steel, aluminum, and copper. The tool is available in various sizes, including 10mm, 15mm, 20mm, 25mm, 30mm, 35mm, and 40mm. The tool is suitable for use in a wide range of applications, including turning, drilling, and milling.

The tool is designed for use in a CNC machine. The tool is made of high-speed steel (HSS) and is suitable for use in a wide range of materials. The tool is available in various sizes and is suitable for use in a wide range of applications. The tool is designed to provide high accuracy and long life. The tool is suitable for use in a wide range of materials, including steel, aluminum, and copper. The tool is available in various sizes, including 10mm, 15mm, 20mm, 25mm, 30mm, 35mm, and 40mm. The tool is suitable for use in a wide range of applications, including turning, drilling, and milling.

Part 2: Specifications

1. Material: HSS
2. With: 10mm
3. Length: 100mm; Width: 10mm; Aebor 50mm x 60mm
4. Material: Diamond
5. Material: HSS

Part 3: Dimensions

Dimensions of the tool are provided in the following table:

Length / mm	Width / mm	Depth / mm	Material	Part Number	Notes
250 300 350 400	20 25 30 35 40	50 60	$\Phi 10-2+ 2$ $\Phi 50-3+ 3$	30/40 60 100 200	CNC tool suitable for turning, drilling, milling

The following table provides the recommended RPM and feed rate for the tool:

RPM	Feed Rate	Tool Size
4500	400-600mm / min	3mm

The tool is designed for use in a CNC machine. The tool is made of high-speed steel (HSS) and is suitable for use in a wide range of materials. The tool is available in various sizes and is suitable for use in a wide range of applications. The tool is designed to provide high accuracy and long life. The tool is suitable for use in a wide range of materials, including steel, aluminum, and copper. The tool is available in various sizes, including 10mm, 15mm, 20mm, 25mm, 30mm, 35mm, and 40mm. The tool is suitable for use in a wide range of applications, including turning, drilling, and milling.

Part 4: Conclusion

The tool is designed for use in a CNC machine. The tool is made of high-speed steel (HSS) and is suitable for use in a wide range of materials. The tool is available in various sizes and is suitable for use in a wide range of applications. The tool is designed to provide high accuracy and long life. The tool is suitable for use in a wide range of materials, including steel, aluminum, and copper. The tool is available in various sizes, including 10mm, 15mm, 20mm, 25mm, 30mm, 35mm, and 40mm. The tool is suitable for use in a wide range of applications, including turning, drilling, and milling.

boreway®



1 Designed for grinding or milling surface of stone



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



2 Nylon body with light-weight.

3 Arbor 50mm or 60mm available

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

□□ □□ □□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□

□□□□□□

□□□□□□□□□□□□□□

2.□□□□□□□□□□ □□□□□□□□□□□□□□□□

