



Terrazzo Lavina

mm m

m

mm

mm	mm
mm	16-270 etc
mm	mm
mm	24 * 14 * 8mm * 2T
mm	mm
mm	mm
mm	mm
mm	mm
mm	mm mm mm

mm
mm

□□□□

□□□□□□□□□□□□□□









Before Grinding and Polishing



After Grinding and Polishing



CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

Concrete hardness test results and specifications.

Concrete strength and durability factors.

3 concrete strength and durability factors.

Concrete 1 strength and durability factors.

Concrete 2 strength and durability factors M6 / M8.



Lavina Quick Lock Blank



**Lavina Blank with
3 M6/M8 Threads**



**Lavina Blank with
3 Bare Holes**

1

2

3

4

Lavina Diamond Grinding Disc



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

3. □□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

- 1. □□□□□□□□□□□□□□□□
- 2. □□□□□□□□□□□□□□□□
- 3. □□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Fujian Nanan **boreway** Machinery Co.,Ltd.



□□□□□□□362342□□□□ah□□□□605□



TEL □ +86□595-86990206 /  □□□□□□ □+86□595-86990220



□□□□/ **WhatsApp / Wechat**□ □+ 86□ 13559599186



E□□□□ boreway05@boreway.net



□□□□□□□□