

600	40	4.6 / 4.8	8/10/12/15	42
700	40	5.5 / 5.2	8/10/12/15	42
800	40	6.0	8/10/12/15	46

300mm 300mm W 300mm 300mm 300mm 300mm 300mm, 300mm 300mm 300mm 300mm 300mm. 300mm 300mm 300mm 300mm 300mm.

300mm 300mm 300mm:

300mm 300mm 300mm W 300mm 300mm 300mm 300mm :



W Shape Structure, reduce the cutting resistance, improve the cutting speed.


300mm :

300mm 300mm 300mm W 300mm 300mm 300mm 300mm. 300mm 300mm 300mm, 300mm, 300mm 300mm 300mm 300mm 300mm 300mm.


Applicable materials

To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.





□□ □□ :




□□ □□ :

1. □□□□ □□□□ □□□ □□□ □□ □□□□.
2. Excellent □□□ □ □□ □□.
3. High □□ □□□□, □□, □ □□□ □□□□.

□□□□ □□ □□ :

□□ **Boreway** □□□□□□ □□□□□□ □□ □□ □□□□ □□□□.



□ □ □ □ :



□□□ □□□:

1. □□ □□ □□ : □□□ □□□ □□□□□ □□□ □□□ □□ □ □□□□.
2. □□ □□ :□□ □□ □□□□□ □ □□□□□□□□.
3. □□ □□□ OEM : □□□ □□□ □□ □□ □□□ □□ □□□□ □□□□.
4. □□ □□ : □□□ □□□ □□ □□ □□□ □□□□. □□□□ □□ □□□ □□ □□□□.
5. □□ □□□ : □□□ □□ □□□ □□□□ □□□□ □□□ □□□□□ □□□□□.

□□□□ □□:

1. □□□□□ □□□□□ □□ □□□ □□□ □□ □ □ □□□□?
 □□ □□□□ □□□□□ □□□□ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□. □□□ □□ □□□ □□□ □□ □□ □□ □□ □ □ □ □□□ □□□□.
2. □□□□□ □□□□□ □□□ □□ □□□ □□□□□□□□□?
 □□□ □□ □□□ □□□ □□□□□□□. □ :

