

Boreway 0000 000 m 00 00000 00 ~0 00 00 0000 0000

00:

- 000 0000000 **M** 00 00000 0000 00000 0000 0000.
- 00 00 00 : 0000 00, 000 00 0 00.
- 000 00, 00 00 00, 00 000 00.
- 1400mm 00 00000 DIST 00000 00 00000 0000 00000 00000 00000. 00, 000 00.

00:

- 000, 00, 00, 00, 00 0 00 00 0000 00 0 00; 00 000 00000 00 000 00000.
- 000 0000000 **M** 00 00000 00000 IAMOND 00 00 0 (TI + CR + NI + CO 0) 000 000 00000 000 0 00, 00000 0000, 000 000 00 0 0 0000.

00:

000 00 00000**M** 00 00000 000 00000 0000:

00 (mm)	00 (mm)	00 (PC)	0	w	00	00 (MM)	00. RPM
2000mm, 80 00	8.0 (9.0)	128	24	11/10	15/20	100/120	450

00 000 00 0000 0 00000 00 0000 0000 000 00 0000 0 00000.

Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble

Support Sample Processing Customization

Style and Specifications



Contact Salesman

Due to the large number of product specifications and styles, in order to avoid conflicts, please contact the salesman before placing the order.

1

Provide Samples

The manufacturer supports the sample processing and customization, and the buyer provides the sample first to communicate the production requirements.



2

□□ □□

□□ □□ □ □ □□□ □□□ □ 105 □□ 120 □□ (□□)□ □□□□□ □□□□ □□□□ □□ □□ □□□ □□ □□□□□ □□□ □□□ □□□□□ □□ □□□□.

□□□ □□□ □□□□□ □□□, □, □□□ □□□□□ □□ □□ □□□ □□□□ □□□□ □□ □□□□ □□□□□.

□□□ □□

□□ □□ □ □ □□□ □□□ □ 90 ~ 105 □□ (□□)□ □□□□□ □□□□ □□□□□ □ □□ □□□□ □□ □□□ □□□□□ □□□ □ □□□ □ □□□□.

□□□□ □□□ □□□□□ □□, □□ □ □□□□ □□□ □□ □□ □□□ □□□□□ □□□□ □□□□ □□□□ □□□□□.

□□ □□□□ :

□□□ □□□□□□□ M □□ □□□□□ □□□□□□ □□ □ □□ □□ □□ □□ □□□□□ 900-3500mm □□ □□

□□□□□ □□□□ □□ □□□, □□, □□□□□ □□□ □□□ □□.


□ □□□ V □□ □□□□□ □□□□ □ □□ □□



Granite




Sandstone



Quartz

For Block Cutting of Granite, Sandstone, Slate, Kinds of Hard Stone with quartz



One is single size multi cutter, which all blade sizes in same thickness and diameter while the other is multi size multi cutter, two sizes or more different size diameter blades used together in one stone machine.

□□ □□□□ □□ :

□□□ □□□□□□□ **M** □□ □□□□□ □□□□ 900mm ~ 3500mm□ □□ □□ □□ □□ □□, □□□□ □□, □□, □□□□□□ □□ □□ □□□□ □□□□□.



Our factory use original high grade diamond



pk

Other factory mix second diamond selected from waste segment




Our blade cutting effect



pk

Other supplier blade cutting effect



1. 我們的鑽石是原裝高品質鑽石，品質穩定，切割效果優異。而其他的鑽石是選自廢料，品質不穩定，切割效果差。

2. 我們的刀片切割效果優異，切割面平整。而其他的刀片切割效果差，切割面不平整，且容易產生碎屑。

如何選擇鑽石：

選擇鑽石時，應注意其品質、切割效果及耐用性。我們的鑽石品質穩定，切割效果優異，且耐用。而其他的鑽石品質不穩定，切割效果差，且容易磨損。



Brazing Machine Welding Rack

+



Three Phase 380V 30kW High Frequency Induction Welding Machine



Welding segment effect

□□ □□:



Boneway Machinery Co.,Ltd
www.diamondtools.top
www.boneway.net

Boneway Machinery Co.,Ltd
www.diamondtools.top
www.boneway.net

1800mm □□ □□□□

LL □□ □□□□ □□□□ □□□□

□□□ □□ :





□ □ □ □ :

1. Tools packing in carton cases;
2. When tools are in large quantities, they are packing in wooden cases.

-DELIVERY-

Less than 45kg,generally delivery by express(Door to Door).



By Air / Sea for batch goods, Airport / Port receiving.

BY AIR



BY SEA



□□□ □□□:

1. □ □□ □□ : □□□ □□ □□□ □□ □ □□□□.
2. □□ □□ : □□□□□ □□ □□□□□ □ □□□□□□□.
3. OEM □□ : □□□□ □□□ □□ □□□ □ □□□□.
4. □□□ □□ : □□□ □□ □□ □□□□ □□□□. □□□□ □□ □□□ □□□□□.
5. □□ □□□ : □□□ □□□ □□ □□□ □□□□ □□□□ □□□□□.

□□□□ □□:

1. □□□ □□□□□ □□□ □□□ □□□ □ □ □□□□?
□□ □□□ □□□ □ □ □□□ □□□ □ □ □□□□. □□□ □□□ □□ □□□□ □□□□ □□□ □□□ □□ □□ □□□ □□□□□. □□□ 8 □ □□ □ □□ □□□ □□ □□ □□□□□ □□ □□□□□□□□.
2. □□□ □□□ □□ □ □ □□□□?
□□□ □□ □□□ □□□□ □□□□. □□□□ □□□ □□□□ □□□ □□□ □□ □□□ □□□ □□ □□□□ □□□□. □□□ □□□□□□ □□□ □□□ □□□ □□□□ □ □□ □□ □□□□. □□□ □□ □□□□ □□□ □□□ □□□ □□ □ □□□□□□□□□. □□□□ □□□□□□ □□ □ □□□□, □□□ □□□ □□ □ □□□□.

3. 如何 選擇 合適 的 機器?

首先，要選擇合適的機器，必須先了解您的加工需求。不同的材料、不同的加工量、不同的加工精度，都需要選擇不同的機器。其次，要選擇合適的機器，還要看機器的性能、質量、價格、售後服務等因素。最後，要選擇合適的機器，還要看機器的品牌、口碑、信譽等因素。

☎ :

如果您有任何問題，歡迎隨時與我們聯繫。我們將竭誠為您服務，直到您滿意為止！

☎☎☎:

Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 ☎ : (+86) 595-86990206 /  ☎:(+86) 595-86990220

 ☎ / **WhatsApp / WeChat** :(+ 86) 18650679939

 ☎☎: **boreway@boreway.com**

 **Lyon Chang**