

□□□ □□□□ □□ □□ □□□□ □□□□ □ □□□ □□□□□ □□□□ □□ □□□ □□□□

□□:

□□□ □□□□ □□ □□ □□□□ □□□□ □

□□ : □□ □□, M6 □□

□□□□: □□□ □□□□ □□□ □□□□□□.


□□ □□ :□□□□□ □□□□, □□ □□□□, □□□□, □□□□, □□□, □□ □□, □□□□ □□

□□ □□ :6 #, 16 / 18 #, 20 / 25 #, 30 / 40 #, 50 / 60 #, 70 / 80 #, 80 / 100 #, 120 / 150 #, 200 / 220 #, 325 / 400 #

□□ :□□□□ □□□□ □□ □□□ □□□□□ □ □□□ □□ □□□□□ □□□□, □ □□□ □□ □□□□□ □□ □□□□□.

Type:Grinding Shoe

Segment Height:10mm



1. Suitable For Various Concrete Floors.
2. Use For National Floor Equipment Grinders

□□:

□□□□ □□□□ □□□□ □□ □□ □□□□ □□□□ □:

□□□	□□□ □□□□ □□ □□ □□□□ □□□□ □		
□□□□ □□	□□□□ □□	□□□□ □□	10mm
□□□	□□, □□	□□	Boreway
□□ □□.	BW-NE-RS10-01	□□	□□ □□ □□ □□□□
□□	□□□ □□□□ □□□ □□□□□.	□□□□□□	□□□□□□ + □□ □□ □□

□□□□ □ □□□ □□□□ □□ □□□□ □□ □ □ □□□□.


[□□□□ □□ □□□□□□□□□□. □□□□ □□□□□□□□.](#)

□□□□ □□□□ □□ □□ □□□□ □□□□ □□□□ □□ □□□□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□ □□□□ □□ □□ □□□□ □□□□ □□ □□ □□□□ □□□□.


□□□□.

2. □□ □□ - □□□ □□□ □□ □□ □□ □□ □□ □□.

3. □□ □□ - □□□□□□□ □□ □□□ □□□ □□□ □□□□ □□□ □□ □ □□□ □□ □□ □□□ □□□□□.



Husqvarna □□□□ □□□ scanmaskin □□□ □□□ :



□□ □□ Husqvarna □□ □□□□ □□




□ □ □ :



□ □ □ :

For Husqvarna Grinder, Other Pad Use For Husqvarna, Werkmaster, Lavina, Sti, Htc, Blastrac, Scanmaskin, Klindex, Edco



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

□□ □ □□ :

□□:

1. □□ □□□□ □□□□ □□

2. □□ / □□ □□ □□, □□ / □□ □□

3.45kg □□, □□□□□ □□ □□ (Door to Door)