Product Description:

100MM <u>Sponge Diamond Polishing Pads</u> for marble soft Stone Suitable for softer stones, such as marble sandstone, jade, cream-colored stone, travertine, basalt, artificial stone, terrazzo floor.

Feature:

Combined with unique grinding formula and high quality of nylon fiber. Open network structure, flexibility and furability, effective heat dissipation and light, can reach 75-105 degrees glossiness, work surface does not overheat discoloration. Advantaged in high yield, long serive life and low cost compared to traditional grinding pad,Products back has nylon Velcro cloth to meet different needs of hand grinding machine, floor renovation machine, ceramic polishing machine.

Specification:

Diameter 100MM/4", Workable thickness 10MM, Inner dia 15MM

Available Grits:150#,300#,500#,1000#,2000#,3000#,6000#,10000#

Pictures:

100MM Sponge Diamond Polishing Pads for marble soft Stone






1SO 9001

Ì

CE

Boreway Machinery Co.,Ltd www.fordiamondtools.com www.diamondtools.top







CE

Boreway Machinery Co.,Ltd www.fordiamondtools.com www.diamondtools.top

More Sponge Polishing Pads,Pls click here: Diamond Polishing Pads

Packing & Shipping:

Sponge diamond polishing pads packing in the carton. We can also pack the Polishing Pad according to your requirements. Special specifications need to be negotiated with us before the delivery date

-DELIVERY-

Less than 45kg, generally delivery by express(Door to Door).



By Air / Sea for batch goods, Airport / Port receiving.



Contact Us:

Fujian Nanan Boreway Machinery Co.,Ltd. Address: Huahui Center 605, Shuitou Town,Quanzhou, Fujian, China. Post Code: 362342 Tel.: 0086-595-86990206 Fax: 0086-595-86990220 Contact: Ally Huang Mobile/WhatsApp: 0086-13559599186 Wechat: boreway05 Facebook: 13559599186 E-mail: boreway05@boreway.net Website: http://www.diamondtools.top http://www.fordiamondtools.com