

## Introduction:

3 inch Metal Bond Concrete Floor Grinding Block Wheel Polishing Disc are designed to remove coatings on concrete floor to prepare the floor for polishing. Professional design helps remove coatings more evenly and effectively. The segment is hot-pressed and professionally welded on the plate to make sure the density of segment is reasonable and help to extend the life time of the disc.

## Feature:

- \* High diamond concentration for long life and aggressive material removal.
- \* Use dry or wet to smooth concrete or field stone.
- \* Proprietary material mix ensures durable.
- \* For grinding rough concrete floor, the old Concrete Floor Restoration

## Specification:

3 inch Metal Bond Concrete Floor Grinding Block Wheel Polishing Disc

Diameter	Grit	Holder	Segment No.	Segment Thickness
3"(80mm)	#60, #120	Velcro Back	10pcs	8mm
4"(100mm)	#60, #120	Velcro Back	10pcs	8mm

## Picture:

3 inch Metal Bond Concrete Floor Grinding Block Wheel Polishing Disc

**boreway**®



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)


**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)



**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Contact us:**

Fujian Nanan Boreway Machinery Co.,Ltd.  
Address: Shuitou Town,Quanzhou, Fujian, China  
Post Code: 362342  
TEL: (+86)595-86990206  
FAX: (+86)595-86990220  
WhatsApp: +86-15659082992  
Email: boreway02@boreway.net