

## Product Description:

**8Pcs 4inch Floor Renew Sanding Discs Repairing for Beton 100mm [Resin Bond Concrete Floor polishing pads](#)**, Special design for concrete polishing.

## Other Applications:

1. [Wet polishing pads](#) are self-adhesive on the Hook and loop back sanding pad, and suitable for grinding stone, ground tile, ceramic. Suitable for stone polishing, line chamfer, the arc plate and special-shaped stone processing. it can also be used for processing, repairing and renovating marble, concrete, cement floor, terrazzo, glass ceramics, artificial stone, tiles, glazed tiles, vitrified tiles

User manual: Use them from coarse to fine, the final polishing. The whole process takes water to cool fully, but in the polishing stage, water should not be too much.

2. [Wet or Dry polishing pads](#) are self-adhesive on the self Gripping back sanding pad, and suitable for grinding stone, ground tile, ceramic. Suitable for stone polishing, line chamfer, the arc plate and special-shaped stone processing. it can also be used for processing, repairing and renovating marble, concrete, cement floor, terrazzo, glass ceramics, artificial stone, tiles, glazed tiles, vitrified tiles

User manual: Use them from coarse to fine, the final polishing. The whole process takes water to cool fully, but in the polishing stage, water should not be too much.

## Features:

- 1). High Quality Polishing;
- 1). Wet Working, thicker longer working life;
- 2). Durable resin compound to make flexible pads;
- 3). Velcro backed, can be attached to the [floor polishing machines](#);
- 4). Excellent for granite marble concrete floors polishing restoration with long lifespan while providing a very nice surface to polish.

## Specification:

Spiral turbo type

Diameter 100mm/4"


Total thickness: 9mm

Workable thickness:  $\geq 6\text{mm}$

Other available grit size: #50, #100, #200, #400, #800, #1500

## Pictures:

**4inch Floor Renew Sanding Discs Repairing for Beton diamond resin bond floor polishing pads**



Boreway Machinery Co.,Ltd  
[www.fordiamondtools.com](http://www.fordiamondtools.com)  
[www.diamondtools.top](http://www.diamondtools.top)



**Boreway Machinery Co.,Ltd**  
**[www.fordiamondtools.com](http://www.fordiamondtools.com)**  
**[www.diamondtools.top](http://www.diamondtools.top)**






**boreway®**



**Boreway Machinery Co.,Ltd**  
[www.fordiamondtools.com](http://www.fordiamondtools.com)  
[www.diamondtools.top](http://www.diamondtools.top)



**boreway®**



**Boreway Machinery Co.,Ltd**  
[www.fordiamondtools.com](http://www.fordiamondtools.com)  
[www.diamondtools.top](http://www.diamondtools.top)



More related products, Pls click here: [Diamond Polishing Pads](#)

#### Packing & Delivery:

1. Diamond resin bond concrete [polishing pad](#) packing in carton cases;
2. When tools are in large quantities, they are packing in wooden cases.

# -DELIVERY-

Less than 45kg,generally delivery by express(Door to Door).



By Air / Sea for batch goods, Airport / Port receiving.

BY AIR



BY SEA



## Contact Us:

Fujian Nanang Boreway Machinery Co.,Ltd.

Address: Huahui Center 605, Shuitou Town,Quanzhou, Fujian, China.

Post Code: 362342

Tel.: 0086-595-86990206

Fax: 0086-595-86990220

Contact: Ally Huang

Mobile/WhatsApp: 0086-13559599186

Wechat/Skype: boreway05

Facebook: 13559599186

E-mail: boreway05@boreway.net

Website: <http://www.diamondtools.top>