

## Product Description

Bush hammer roller for concrete finish, It is used to surface fabricating, making bush hammered effects for stone products, remove coating or texture concrete, effectively to make a non-slick profile suitable for both inside and outside environments.

[Vacuum Brazing Bush Hammer Roller For Manufacturer](#) is one of our advantaged products. We can customize various supermer quality bush hammer tools to meet your special working demands.

Including: HTC bush hammer palte, Klindex bush hammer plate, Husqvarna bush hammer roller, Frankfurt bush hammer roller, medium comma finishing bush hammer rollers,etc. More and more stone factories is buying bush hammer tools from Boreway now.

## Feature:

1. Create non-slip surfaces on concrete and pavers.
2. Make removal of coatings from concrete and asphalt easy.
3. Texture or profile surfaces to speed up initial cut on exposed concrete polished floors.
4. Remove traffic lines from bitumen and concrete and other surfaces with ease and speed without excessive damage to the surface.

## Product Specification:

The Following Are Normal Specifications **Bush Hammer Roller For Concrete Finish:**

Outer Diameter	Width	Base Shape	Roller Type	Application
50MM	32MM	Frankfurt Base	Vacuum Brazed Bush Hammer Roller	Concrete, Marble, Granite, Asphalt Pavement

The above specifications is only for reference, other specifications may be available as per customer's demand.

**More Normal Specification Of Rotary Bush Hammer Roller:**

Model	Out Diameter	Wheel Width	Segment Quantity	Segment Diameter	Remark
-------	--------------	-------------	------------------	------------------	--------

BW-BHR4530	45	22	30	3.6 4.5 4.6 4.7 6.0 8.0	With Stand Without Stand
BW-BHR5330	53	30	30		
BW-BHR5530	55	22	30		
BW-BHR5545	55	22	45		
BW-BHR5545	55	30	45		
BW-BHR5545	55	39	45		
BW-BHR5545	55	53	45		
BW-BHR5545	55	55	45		
BW-BHR5560	55	43	60		
BW-BHR8060	80	55	60		
BW-BHR5972	59	53	72		
BW-BHR6077	60	53	99		
BW-BHR3307	33	6	7	Star Type	
BW-BHR3310	33	6	10		
BW-BHR4910	49	6	10		
BW-BHR4915	49	6	15		
BW-BHR4920	49	6	20		


**More Normal Specification Of Rotary Bush Hammer Plate:**

Model	Out Diameter		Wheel Width	Segment Quantity
	Inch	mm		
BW-BH12514	5	125	3	14
BW-BH12514			4	14
BW-BH12520			3	20
BW-BH12520			4	20
BW-BH12530	5	125	3	30
BW-BH15014	6	150	4	14
BW-BH12520	6	150	4	20
BW-BH15045	6	150	3	45
BW-BH15030			4	30
BW-BH20045	8	200	4	45
BW-BH20030			6	30
BW-BH25045	10	250	5	45
BW-BH25030			6	30
BW-BH30045	12	300	6	45
BW-BH30030			9	30
BW-BH35045	14	350	9	45
BW-BH35030			12	30

Can customize the size of other rotary bush hammers roller as required.


**Product show**

**Vacuum Brazed Frankfurt Bush Hammer Grinding Roller For Concrete Finish**



**Boreway Machinery Co.,Ltd**  
**[www.diamondtools.top](http://www.diamondtools.top)**  
**[www.boreway.net](http://www.boreway.net)**

**boreway**®



**Boreway Machinery Co.,Ltd**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.net](http://www.boreway.net)

**Application:**

**Bush Hammer Roller With Frankfurt Base** is suitable for floor grinding, and for stone the roughness of the bush hammered surface can be adjusted with our bush hammer through adjustment of spring elasticity on the bush hammer, or through the pressure of the manual grinding machine.

Frankfurt type bush hammer tool are also used as a design element to create a profile just like litchi surface.



Marble



Granite



Quartz



Sandstone



Limestone



Concrete Floor



Asphalt Pavement

## FAQ

### 1. What is the lychee noodle tool?

Bush Hammers have been around a long time and have proven the easiest way to texturize stone, concrete & asphalt.

### 2. What can Bush Hammers do?

Surface Prep for coatings.

Quickly expose large aggregate.

Remove hard coatings and overlays.

### 3. How to use and maintain bush hammer tool?

Do not apply too much pressure on the bush hammer. This will prevent the roller from stopping and thus decrease the life span of the tungsten steel.

After each use, please clean up rollers, dry and apply oil to the spindles. It will be ideal to submerge the rollers in oil to prevent spindle rust.

Roller tips can be re-dressed with diamond blades when they become inefficient.



## Contact Us:

# Fujian Nanan *boreway* Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /



**Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 18650679939



**E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)



**Lyon Chang**