

Product Description

200mm [Carbide Alloy Bush Hammer Plate For Manufacturer](#) for granite used to make litchi surface.

Size: double layer plates, two plates of the same size, 8 inch, 200mm bush hammer plate.

Wholesales bush hammer rollers segment quantity in per roller: 30PCS, 45PCS and 60PCS etc.

Roller quantity in per bush hammer plate: 3PCS, 4PCS, 5PCS, 6PCS, 9PCS and 12PCS.

Feature:

1. Roller No.: 4 rollers, each roller with 45 tips.
2. Rotary bush hammer plate has multiple interfaces, including M10, M14, M16, 5 / 8 "-11, 40H-50H, ϕ 74-3*M8 etc.
3. [Double Layer Plate For Manufacturer](#), plate dia.: 125MM, 150MM, 200MM, 250MM, 300MM, 350MM, 400MM, 450MM.
4. Rotary bush hammer roller used in many types of machines: hand held grinders, automatic bush hammering machine, automatic grinding machine, angle grinder, and floor grinder.

Product Specification:

The Following Are Normal Specifications **Carbide Alloy double layer Bush Hammer Plate:**

| Diameter | Roller No. | Layer Number | Roller Type | Feature |
|-------------------|------------|--------------|-------------------------------------|---|
| 200MM (8 Inch) | 4 Pcs | Double Layer | Carbide Alloy Bush Hammer Roller | Various Styles Of Bush Hammer Roller Are Available |

The above specifications is only for reference, other specifications may be available as per customer's demand.

More Normal Specification Of Rotary Bush Hammer Roller:

| Model | Out Diameter | Wheel Width | Segment Quantity | Segment Diameter | Remark |
|-------|--------------|-------------|------------------|------------------|--------|
|-------|--------------|-------------|------------------|------------------|--------|

| | | | | | |
|------------|----|----|----|--|-----------------------------|
| BW-BHR4530 | 45 | 22 | 30 | 3.6 4.5 4.6 4.7 6.0 8.0 | With Stand Without Stand |
| BW-BHR5330 | 53 | 30 | 30 | | |
| BW-BHR5530 | 55 | 22 | 30 | | |
| BW-BHR5545 | 55 | 22 | 45 | | |
| BW-BHR5545 | 55 | 30 | 45 | | |
| BW-BHR5545 | 55 | 39 | 45 | | |
| BW-BHR5545 | 55 | 53 | 45 | | |
| BW-BHR5545 | 55 | 55 | 45 | | |
| BW-BHR5560 | 55 | 43 | 60 | | |
| BW-BHR8060 | 80 | 55 | 60 | | |
| BW-BHR5972 | 59 | 53 | 72 | | |
| BW-BHR6077 | 60 | 53 | 99 | | |
| BW-BHR3307 | 33 | 6 | 7 | Star Type | |
| BW-BHR3310 | 33 | 6 | 10 | | |
| BW-BHR4910 | 49 | 6 | 10 | | |
| BW-BHR4915 | 49 | 6 | 15 | | |
| BW-BHR4920 | 49 | 6 | 20 | | |



More Normal Specification Of Rotary Bush Hammer Plate:

| Model | Out Diameter | | Wheel Width | Segment Quantity |
|------------|--------------|-----|-------------|------------------|
| | Inch | mm | | |
| BW-BH12514 | 5 | 125 | 3 | 14 |
| BW-BH12514 | | | 4 | 14 |
| BW-BH12520 | | | 3 | 20 |
| BW-BH12520 | | | 4 | 20 |
| BW-BH12530 | 5 | 125 | 3 | 30 |
| BW-BH15014 | 6 | 150 | 4 | 14 |
| BW-BH12520 | 6 | 150 | 4 | 20 |
| BW-BH15045 | 6 | 150 | 3 | 45 |
| BW-BH15030 | | | 4 | 30 |
| BW-BH20045 | 8 | 200 | 4 | 45 |
| BW-BH20030 | | | 6 | 30 |
| BW-BH25045 | 10 | 250 | 5 | 45 |
| BW-BH25030 | | | 6 | 30 |
| BW-BH30045 | 12 | 300 | 6 | 45 |
| BW-BH30030 | | | 9 | 30 |
| BW-BH35045 | 14 | 350 | 9 | 45 |
| BW-BH35030 | | | 12 | 30 |


Can customize the size of other rotary bush hammers roller as required.

Product show

200mm Double Layer Rotary Carbide Alloy Bush Hammer Plate For Granite Finish









Application:

- 1.Surface prep for coatings.
- 2.Quickly expose large aggregate.
- 3.Remove hard coatings and overlays.

4. Increase concrete bonding effectiveness.

5. Creates anti-slip finish on granite and marble.

Bush hammer bit for radial arm polishing machine, floor grinder.

Double layer bush hammer plate with 6 roller for grinding concrete, marble, granite, asphalt pavement.

Carbide bush hammer roller can create litchi surface. concrete And Stone Floor coating removing and surface texturing.



FAQ

1. Do you provide many kinds of Bush hammer tool?

We provide 30s, 45s, 60s and other Star teeth, triangular teeth, vacuum brazing, linear, multi point, as well as multi-brand floor lychee surface grinding blocks and grinding discs, support drawing customization.

2. When inquiring about products, what information do I need to provide?

You can inform the specifications of the required product, the target of the product, the machine that the product uses, or use the picture to communicate with our staff, and you can also customize the product according to your requirements.

3. How are your products packaged?

We will first want to wrap the sponge around the product, then put it in a carton or plywood box, and then wrap the box with tape. We can pack them according to your requirements.



Contact Us:

Fujian Nanan **boreway** Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail:** boreway@boreway.com

 **Lyon Chang**