

Introduction:

- 1.H20xM10 Diamond Segmented Concrete Cutting Router Bits are used for CNC machine or portable machine processing the granite,marble,other stones and the counter.Their merits are high efficiency of production,exact figure.
2. Using sequence: from rough grit to fine, finally polishing.
3. The following are different shapes design , including : A, B, D, E, F, G, H, I, L, M, N, O, P, Q, S, T, U, V, WF, DD, DC

Features:

- 1.CNC granite diamond polishing wheels have different shapes and sizes are available.
- 2.Good balance and stable performance.
- 3.Sintered segment is aggressive for easy and quick stock removal.

Specification:

Product Name	Position	Grit No.	Diameter	Thickness	Stone Shape	Spindle
Diamond router bit	Pos 1	30/40#	50-125mm	20mm 30mm 40mm 50mm	A, B, D, E,F, G, H, I, L, M,N, O,P,Q,S,T,U, V,WF,DD,DC etc.	M8 M10 M14 1/2 "Gas 22mm 35mm
	Pos 2	40/50#				
	Pos 3	80/100#				
	Pos 4	170/200#				
	Pos 5	400#				
	Pos 6	600#				
	Pos 7	1000#				
	Pos 8	Optional				

Other connection and specification can be customized according to need.

Images:

H20xM10 Diamond Segmented Concrete Cutting Router Bits

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

[Click Here To Browse More Sizes And Shapes Of Router Bits](#)

Contact us:

Fujian Nanan Boreway Machinery CO.,Ltd.

ADD:Shuitou Town,Quanzhou,Fujian,China

Post Code:362342

TEL:(+86)595-86990206

FAX:(+86)595-86990220

Skype:boreway02

Whatsapp:(+86)18359335376

Facebook:BorewaySherry

Wechat:Sherry_154

Email:boreway02@boreway.net