

Introduction:

80mm 3 step stone diamond flexible resin polishing pad for

stone which are attached to backer with velcro connections are used for polishing surface of marble, granite or other stone. It is used by portable grinder or other manual operated machines. Using from rough grit to fine grit. Finally via buff polishing get a good polishing result.

This 80mm 3 step stone diamond flexible resin polishing pad uses imported nano case does not burn plate high temperature materials, use for marble, ceramic stone, ceramics, glass, polished chamfer, can not add water.

The operator need only three steps can reach common ground sheet five-step, seven-step effect, easy to operate, improve efficiency, cost-effective!

Features:

1. Three step dry polishing pad for stone has long lifespan and stable performance.
2. Smooth polishing and glossy polishing surface.

Specifications:

The followings are the normal specifications of our **80mm 3 step stone diamond flexible resin polishing pad**:

Diameter	Thickness		Quality Class	Grit No.	Holder
	Hand Use	Floor Use			
80mm(3")	2.2-3.0mm	3-10mm	Premium	1,2,3	Velcro or Rubber
100mm(4")			Standard		
			Economical		

The above specification just a reference for you. Other specifications can be ordered by client.

Picture:

80mm 3 step stone diamond flexible resin polishing pad

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Similar product:

[Three step dry polishing pad for stone,granite resin polisher](#)

boreway®



Product Name	4" Dry Polishing Pads
Model No	BWT-PP0103
Grit No	1# 2# 3#
Quantity	3PCS

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com